


LEVERS



CODE	MATERIAL	FINISH	.XX	* indicative colors			
2MM.	STAINLESS STEEL AISI 316L	Standard: SATIN	LRV 53	.44			
		BRIGHT	LRV 70	.43			
		Standard: PROGRAMMA PVD	Gold	.81			
		PVD <small>on selected items (*) see catalogue</small>	Black Satin	.83			
		POWDER-COATED	Black Ral 9005 Mat <small>(To match with pba Black Aluminum)</small>	.40			
			Black Ral 9005 Glossy	.26			
			White Ral 9010	.31			
			Grey	.32			
			Champagne	.38			
			Bronze <small>(To match with pba Bronze Aluminum)</small>	.39			
			Architectural Bronze	.36			
			Medium Bronze	.56			
			Silver	.41			
			Gold	.55			
		COLORS ON REQUEST TO MATCH ANY RAL #				.99	
		<small>Screws, grub screws and plastic parts non powder-coated. Available on request depending on quantities.</small>					
		YOD.	STAINLESS STEEL AISI 316L + WOOD	Standard: SATIN + WOOD	Wenge	.46	
				Ash	.47		
				Mahogany	.48		
				Bleached white oak	.52		
BRIGHT+ WOOD	Wenge			.49			
	Ash			.50			
	Mahogany			.51			
	Bleached white oak			.53			
POWDER-COATED	Black Ral 9005 Mat <small>(To match with pba Black Aluminum)</small>			.40			
	Black Ral 9005 Glossy			.26			
	White Ral 9010			.31			
	Grey			.32			
	Champagne			.38			
	Bronze <small>(To match with pba Bronze Aluminum)</small>			.39			
	Architectural Bronze			.36			
	Medium Bronze			.56			
	Silver			.41			
	Gold			.55			
	White/Bleached White Oak			.31			
	Black/Wenge			.40			
	COLORS ON REQUEST TO MATCH ANY RAL #				.99		
	<small>Screws, grub screws and plastic parts non powder-coated. Available on request depending on quantities.</small>						
		STAINLESS STEEL AISI 316L + LEATHER	Standard: SATIN	Black PF	.4H		
+ LEATHER			Brown PF	.4P			
BRIGHT			Black PF	.3H			
			Brown PF	.3P			
POWDER-COATED			Black Ral 9005 Mat <small>(To match with pba Black Aluminum)</small>	.40			
			Black Ral 9005 Glossy	.26			
			White Ral 9010	.31			
			Grey	.32			
			Champagne	.38			
			Bronze <small>(To match with pba Bronze Aluminum)</small>	.39			
	Architectural Bronze	.36					
	Medium Bronze	.56					
	Silver	.41					
	Gold	.55					
White/Leather White	.31						
Black/Leather Black	.40						
COLORS ON REQUEST TO MATCH ANY RAL #				.99			
<small>Screws, grub screws and plastic parts non powder-coated. Available on request depending on quantities.</small>							

CODE	MATERIAL	FINISH	.XX	* indicative colors				
2MH.	STAINLESS STEEL AISI 316L + LEATHER	Standard: POWDER-COATED	White	.31				
		Black	.40					
		+ LEATHER	White/White	.31				
		Black/Black	.40					
+ WOOD	+ WOOD	White/ Bleached White oak	.31					
		Black/Wenge	.40					
2MU.	STAINLESS STEEL AISI 316L + COPPER	Standard: SATIN + SATIN COPPER		.4R				
STA.	STAINLESS STEEL AISI 316L + ALUMINUM	Standard: SATIN + ALUMINUM	Silver	.4K				
			Bronze	.4M				
			Black	.4N				
		BRIGHT + ALUMINUM	Silver	.3K				
Bronze	.3M							
Black	.3N							
2AM.	ALUMINUM	Standard: ANODIZED SATIN	Silver	.69				
			Bronze	.67				
			Black	.68				
			Champagne <small>(only on selected articles)</small>	.66				
3CC.	POLYAMIDE 6	Standard:	Black	LRV 5	.10			
			Upon Request: <small>(minimum lot to be agreed)</small>		White	LRV 87	.01	
			Grey	LRV 27	.07			
			Red	LRV 9	.09			



Programma 2000
Stainless Steel
2MM.030.XXXX.xx
page Levers_8



HEAVY-USE
Programma 2000
Stainless Steel
2MM.30S.XXXX.xx
page Levers_13



SATIN+BRIGHT
Programma 2000
Stainless Steel
2MM.030.XXXX.45
page Levers_16



Programma YOD
Stainless Steel - Wood
YOD.003.XXXX.xx
page Levers_19



Programma YOD
Stainless Steel Powder-coated - Wood
2MH.030.UWT8.31
page Levers_22



Programma YOD
Stainless Steel Powder-coated - Wood
2MH.030.UWT8.40
page Levers_22



Programma YOD
Stainless Steel - Leather
YOD.030.XXXX.xx
page Levers_24



Programma YOD
Stainless Steel Powder-coated - Leather
2MH.030.ULT8.31
page Levers_27



Programma YOD
Stainless Steel Powder-coated - Leather
2MH.030.ULT8.40
page Levers_27



Programma CU
Satin Stainless Steel - Copper
2MU.030.XXXX.xx
page Levers_29



Programma ALUMINUM
Aluminum
2AM.030.XXXX.xx
page Levers_31



Programma ALUMINUM
Aluminum - Leather
2AM.030.ULT8.68
page Levers_33



Programma ALUMINUM
Aluminum
2AM.001.XXXX.xx
page Levers_35



Programma 2000
2MM.30B.XXXX.xx
Stainless Steel
page Levers_37



Programma 2000
Stainless Steel
2MM.028.XXXX.xx
page Levers_39



Programma YOD
Stainless Steel - Leather
YOD.028.XXXX.xx
page Levers_44



Programma CU
Satin Stainless Steel - Copper
2MU.028.XXXX.xx
page Levers_47



Programma 2000
2MM.28B.0000.xx
Stainless Steel
page Levers_49



Programma 300
Polyamide 6
3CC.326.XXXX.xx
page Levers_53



Programma 2000
Stainless Steel
2MM.173.XXXX.xx
page Levers_56



Programma ALUMINUM
Aluminum
2AM.173.XXXX.xx
page Levers_58



Programma ALUMINUM
Aluminum - Leather
2AM.173.ULT8.68
page Levers_60



Programma 2000
Stainless Steel
2MM.026.XXXX.xx
page Levers_62



Programma 2000
Stainless Steel
2MM.027.XXXX.xx
page Levers_66



Programma 2000
Stainless Steel
2MM.170.XXXX.xx
page Levers_70



Programma IT
Stainless Steel
0IT.151.XXXX.xx
page Levers_74



Programma IT
Stainless Steel
0IT.152.XXXX.xx
page Levers_77



Programma IT
Stainless Steel
0IT.153.XXXX.xx
page Levers_80



Programma 2000
Stainless Steel
2MM.020.XXXX.xx
page Levers_83



Programma 2000
Stainless Steel
2MM.20S.XXXX.xx
page Levers_87



Programma 2000
Stainless Steel
2MM.015.XXXX.xx
page Levers_90



Programma 2000
Stainless Steel
2MM.171.XXXX.xx
page Levers_94



Programma 2000
Stainless Steel
2MM.022.XXXX.xx
page Levers_98



Programma 2000
Stainless Steel
2MM.172.XXXX.xx
page Levers_102



Programma 2000
Stainless Steel
2MM.175.XXXX.xx
page Levers_106



Programma 2000
Stainless Steel
2MM.174.XXXX.xx
page Levers_108



Programma YOD
Stainless Steel - Wood
YOD.001.XXXX.xx
page Levers_110



Programma STEELALU
Stainless Steel - Aluminum
STA.001.0UT8.xx
page Levers_113



Programma STEELALU
Stainless Steel - Aluminum
STA.002.0UT8.xx
page Levers_115



Programma STEELALU
Stainless Steel - Aluminum
STA.003.0UT8.xx
page Levers_117



Programma YOD
Stainless Steel - Wood
YOD.002.XXXX.xx
page Levers_119



Programma STEELALU
Stainless Steel - Aluminum
STA.004.0UT8.xx
page Levers_122



Programma STEELALU
Stainless Steel - Aluminum
STA.005.0UT8.xx
page Levers_124



Programma STEELALU
Stainless Steel - Aluminum
STA.006.0UT8.xx
page Levers_126

LEGEND
page 1

THUMBTURNS
page Levers_128

ACCESSORIES
page Levers_134

TECHNICAL REFERENCES
page Levers_139



ITEM

2MM.030.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL

- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA 
- .26 BLACK ALUMINUM 
- .31 WHITE RAL 9005 GLOSSY 
- .32 GREY 
- .38 CHAMPAGNE 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM 
- .36 ARCHITECTURAL BRONZE 
- .56 MEDIUM BRONZE 
- .41 SILVER 
- .55 GOLD 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



Ø 20




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**

2MM.030.0UT8 . xx




with return spring



2MM.030.00T4 . xx




without return spring



2MM.030.0Uxx . xx




without return spring



2MM.030.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



+



Ø 20



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.030.0xTx . xx ONLY LOCK + 2MM.030.0Uxx . xx + 2MM.030.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.030.0xTx . xx ONLY LOCK + 2MM.030.0Uxx . xx + 2MM.030.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.030.0xTx . xx ONLY LOCK + 2MM.030.0Uxx . xx + 2MM.030.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.030.0xTx . xx ONLY LOCK + 2MM.030.0Uxx . xx + 2MM.030.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.030.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.030.0Uxx . xx + Add thumbturns page Levers_129 2MM.030.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.030.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.030.0Uxx . xx + Add thumbturns page Levers_129 2MM.030.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.030.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.030.0Uxx . xx + Add thumbturns page Levers_129 2MM.030.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
WOOD OR HM DOORS



Ø 16




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**

2MM.16L.0UT8 . xx




with return spring



2MM.16L.00T4 . xx




without return spring



2MM.16L.0Uxx . xx




without return spring



2MM.16L.0Uxx . xx



without return spring




LOCK
WOOD OR HM DOORS



+



Ø 16



FUNCTION BACKSET HOW TO ORDER

PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx + 2MM.16L.0Uxx . xx + 2MM.16L.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx + 2MM.16L.0Uxx . xx + 2MM.16L.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx + 2MM.16L.0Uxx . xx + 2MM.16L.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx + 2MM.16L.0Uxx . xx + 2MM.16L.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx Add thumbturns page Levers_129 + 2MM.16L.0Uxx . xx Add thumbturns page Levers_129 + 2MM.16L.0Uxx . xx Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx Add thumbturns page Levers_129 + 2MM.16L.0Uxx . xx Add thumbturns page Levers_129 + 2MM.16L.0Uxx . xx Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx ONLY LOCK	+	2MM.16L.0xTx . xx Add thumbturns page Levers_129 + 2MM.16L.0Uxx . xx Add thumbturns page Levers_129 + 2MM.16L.0Uxx . xx Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION


MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


HANDLE FOR MORTISE

GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED® CREDITS** **Declare.**

2MM.030.0008 . xx



with return spring

2MM.030.0004 . xx



without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

2MM.030.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.030.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.030.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.030.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.030.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.030.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.030.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.030.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- PVD ON REQUEST
- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

LATCH DETAILS
page Levers_147

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

2MM.030.0D06 . xx	SINGLE	
2MM.030.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.030.0D05 . xx	SINGLE	
2MM.030.C0D5 . xx	PAIR	
dummy		
without return spring		



**HEAVY
U S E**

ITEM

2MM.30S.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL

- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)



STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA
- .26 BLACK ALUMINUM
- .31 WHITE RAL 9005 GLOSSY
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




**HEAVY
U S E**



Declare.

ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


2MM.30S.0UT8 . xx



mortise

with return spring


2MM.30S.00T4 . xx



mortise

without return spring


2MM.30S.0Uxx . xx



mortise

without return spring

2MM.30S.0Uxx . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS



+



**HEAVY
U S E**



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx + 2MM.30S.0Uxx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx + 2MM.30S.0Uxx . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx + 2MM.30S.0Uxx . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx + 2MM.30S.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx . xx . x Add thumbturns page Levers_129 + 2MM.30S.0Uxx . xx . xx . x Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx Add thumbturns page Levers_129 + 2MM.30S.0Uxx . xx Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + ONLY LOCK + 2MM.30S.0Uxx . xx Add thumbturns page Levers_129 + 2MM.30S.0Uxx . xx Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS



**HEAVY
U S E**




Declare.




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.30S.0008 . xx



Ø with return spring

2MM.30S.0004 . xx



Ø without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM


2MM.030.xxxx.45

MATERIALS, FINISHING AND DETAILS

FINISH CODE

STAINLESS STEEL

.45 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) + BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

2MM.030.0UT8.45



mortise
 with return spring


2MM.030.00T4.45



mortise
 without return spring


- BRIGHT STAINLESS STEEL
- SATIN STAINLESS STEEL

LOCK
WOOD OR HM DOORS




FUNCTION BACKSET HOW TO ORDER


PASSAGE ANSI F01 2 1/2" 2 3/4" **2MM.LCK.0A00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK




OFFICE/CORRIDOR ANSI F04 2 1/2" 2 3/4" **2MM.LCK.0F00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK




CLASSROOM ANSI F05 2 1/2" 2 3/4" **2MM.LCK.0G00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK




STOREROOM ANSI F07 2 1/2" 2 3/4" **2MM.LCK.0P00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK




OFFICE/ENTRY ANSI F04 + F13 2 1/2" 2 3/4" **2MM.LCK.0I00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK Add thumbturns page Levers_129



DORMITORY ANSI F13 2 1/2" 2 3/4" **2MM.LCK.0E00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK Add thumbturns page Levers_129



PRIVACY ANSI F19 2 1/2" 2 3/4" **2MM.LCK.0M00 . xx** + **2MM.030.0xTx.45**
ONLY LOCK Add thumbturns page Levers_129




FINISH CODE
.45 STAINLESS STEEL
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) + SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE


GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS




2MM.030.0008.45



with return spring

2MM.030.0004.45



without return spring

- BRIGHT STAINLESS STEEL
- SATIN STAINLESS STEEL

FINISH CODE

.45 STAINLESS STEEL
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) + SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

YOD.003.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

MATT CLEAR COATED WOOD		STAINLESS STEEL		
.46	WENGÈ	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.49	WENGÈ	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		
.47	ASH	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.50	ASH	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		
.48	MAHOGANY	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.51	MAHOGANY	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		
.52	BLEACHED WHITE OAK	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.53	BLEACHED WHITE OAK	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		


STAINLESS STEEL POWDER-COATED

.40	BLACK RAL 9005 MAT - TO MATCH WITH PBA	
.26	BLACK ALUMINUM	
.31	WHITE RAL 9005 GLOSSY	
.32	GREY	
.38	CHAMPAGNE	
.39	BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM	
.36	ARCHITECTURAL BRONZE	
.56	MEDIUM BRONZE	
.41	SILVER	
.55	GOLD	

.99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated). Available on request depending on quantities.

PVD ON SELECTED ITEMS

.83	BLACK SATIN	
Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd.		




AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

YOD.003.0UT8 . xx




with return spring



YOD.003.00T4 . xx




without return spring



YOD.003.0Uxx . xx




without return spring





YOD.003.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + ONLY LOCK + YOD.003.0Tx . xx + YOD.003.0Uxx . xx + YOD.003.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + ONLY LOCK + YOD.003.0Tx . xx + YOD.003.0Uxx . xx + YOD.003.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + ONLY LOCK + YOD.003.0Tx . xx + YOD.003.0Uxx . xx + YOD.003.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + ONLY LOCK + YOD.003.0Tx . xx + YOD.003.0Uxx . xx + YOD.003.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + ONLY LOCK + Add thumbturns page Levers_129 YOD.003.0Tx . xx + Add thumbturns page Levers_129 YOD.003.0Uxx . xx + Add thumbturns page Levers_129 YOD.003.0Uxx . xx
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + ONLY LOCK + Add thumbturns page Levers_129 YOD.003.0Tx . xx + Add thumbturns page Levers_129 YOD.003.0Uxx . xx + Add thumbturns page Levers_129 YOD.003.0Uxx . xx
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + ONLY LOCK + Add thumbturns page Levers_129 YOD.003.0Tx . xx + Add thumbturns page Levers_129 YOD.003.0Uxx . xx + Add thumbturns page Levers_129 YOD.003.0Uxx . xx

.XX = FINISH CODE

MATT CLEAR COATED WOOD

- 46 WENGÉ
- 49 WENGÉ
- 47 ASH
- 50 ASH
- 48 MAHOGANY
- 51 MAHOGANY
- 52 BLEACHED WHITE OAK
- 53 BLEACHED WHITE OAK

STAINLESS STEEL

- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

STAINLESS STEEL POWDER-COATED ON REQUEST

- 40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- 26 BLACK RAL 9005 GLOSSY
- 31 WHITE RAL 9010
- 32 GREY
- 38 CHAMPAGNE
- 39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- 36 ARCHITECTURAL BRONZE
- 56 MEDIUM BRONZE
- 41 SILVER
- .55 GOLD

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING
see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS




ITEM BACKSET FUNCTION

YOD.003.SA70 . xx 70 mm 2 3/4" PASSAGE

YOD.003.SA60 . xx 60 mm 2 3/8"

latch included

with return spring




YOD.003.SB70 . xx 70 mm 2 3/4" PRIVACY

YOD.003.SB60 . xx 60 mm 2 3/8"

latch included

with return spring




YOD.003.MA70 . xx 70 mm 2 3/4" PASSAGE WITH MAGNETIC BOLT

YOD.003.MA60 . xx 60 mm 2 3/8"

latch included

with return spring




YOD.003.MB70 . xx 70 mm 2 3/4" PRIVACY WITH MAGNETIC BOLT

YOD.003.MB60 . xx 60 mm 2 3/8"

latch included

with return spring



.XX = FINISH CODE

MATT CLEAR COATED WOOD
 .46 WENGÉ
 .49 WENGÉ
 .47 ASH
 .50 ASH
 .48 MAHOGANY
 .51 MAHOGANY
 .52 BLEACHED WHITE OAK
 .53 BLEACHED WHITE OAK

STAINLESS STEEL
 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

STAINLESS STEEL POWDER-COATED ON REQUEST
 .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINIUM
 .26 BLACK RAL 9005 GLOSSY
 .31 WHITE RAL 9010
 .32 GREY
 .38 CHAMPAGNE
 .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINIUM
 .36 ARCHITECTURAL BRONZE
 .56 MEDIUM BRONZE
 .41 SILVER
 .55 GOLD

PVD ON REQUEST
 .83 BLACK SATIN
 Colors on demand, minimum lot to be agreed.
 Screws and grub screws not pvd
 .99 COLORS ON REQUEST TO MATCH ANY RAL #
 (screws, grub screws and plastic parts non powder-coated)
 available on request depending on quantities

LATCH DETAILS
 page Levers_147

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS




ITEM

YOD.003.0D06 . xx SINGLE

YOD.003.C0D6 . xx PAIR

dummy

without return spring




YOD.003.0D05 . xx SINGLE

YOD.003.C0D5 . xx PAIR

dummy

without return spring





ITEM

2MH.030.UWT8.xx


MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

- STAINLESS STEEL POWDER-COATED**
- .40 BLACK RAL 9005 - TO MATCH WITH PBA BLACK ALUMINIUM
 - .31 WHITE RAL 9010

- MATT CLEAR COATED WOOD**
- WENGÈ 
 - BLEACHED WHITE OAK 

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


2MH.030.UWT8 . xx



mortise



with return spring



- Matte powder coated
- Wood




.31



.40

LOCK
WOOD OR HM DOORS



FUNCTION

BACKSET


HOW TO ORDER

PASSAGE
ANSI F01

2 1/2"
2 3/4"

2MM.LCK.0A00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx




OFFICE/CORRIDOR
ANSI F04

2 1/2"
2 3/4"

2MM.LCK.0F00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx




CLASSROOM
ANSI F05

2 1/2"
2 3/4"

2MM.LCK.0G00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx




STOREROOM
ANSI F07

2 1/2"
2 3/4"

2MM.LCK.0P00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx




OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"

2MM.LCK.0I00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx
 Add thumbturns page 129




DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx
 Add thumbturns page 129




PRIVACY
ANSI F19

2 1/2"
2 3/4"

2MM.LCK.0M00 . xx + **ONLY LOCK**

2MH.030.UWT8 . xx
 Add thumbturns page 129



.XX = FINISH CODE

.40 STAINLESS STEEL POWDERCOATED
BLACK RAL 9005 - TO MATCH WITH PBA BLACK ALUMINIUM
.31 WHITE RAL 9010

MATT CLEAR COATED WOOD
WENGÉ
BLEACHED WHITE OAK

(screws, grub screws and plastic parts non powdercoated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

YOD.030.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE


	LEATHER	STAINLESS STEEL	
.4H	BLACK PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	
.3H	BLACK PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	
.4P	BROWN PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	
.3P	BROWN PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	

STAINLESS STEEL POWDER-COATED

.40	BLACK RAL 9005 MAT - TO MATCH WITH PBA	
.26	BLACK ALUMINUM	
.31	WHITE RAL 9005 GLOSSY	
.32	GREY	
.38	CHAMPAGNE	
.39	BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM	
.36	ARCHITECTURAL BRONZE	
.56	MEDIUM BRONZE	
.41	SILVER	
.55	GOLD	
.99	COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated). Available on request depending on quantities.	

PVD ON SELECTED ITEMS

.83	BLACK SATIN	
	Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd.	




CERTIFICATION LEATHER PF:

THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

YOD.030.0UT8 . xx




with return spring



YOD.030.00T4 . xx




without return spring



YOD.030.0Uxx . xx




without return spring




YOD.030.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



FUNCTION

BACKSET

HOW TO ORDER


PASSAGE
ANSI F01

2 1/2"
2 3/4"

2MM.LCK.0A00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx


OFFICE/CORRIDOR
ANSI F04

2 1/2"
2 3/4"

2MM.LCK.0F00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx


CLASSROOM
ANSI F05

2 1/2"
2 3/4"

2MM.LCK.0G00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx


STOREROOM
ANSI F07

2 1/2"
2 3/4"

2MM.LCK.0P00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx


OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"

2MM.LCK.0I00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx


DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx


PRIVACY
ANSI F19

2 1/2"
2 3/4"

2MM.LCK.0M00 . xx
ONLY LOCK



YOD.030.0xTx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx



YOD.030.0Uxx . xx

.XX = FINISH CODE

LEATHER	STAINLESS STEEL
.4H BLACK PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3H BLACK PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.4P BROWN PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3P BROWN PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

.83 PVD ON REQUEST

BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD


.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING
see page Levers_145


HANDLE FOR MORTISE

GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

YOD.030.0008 . xx



with return spring

YOD.030.0004 . xx



without return spring

.XX = FINISH CODE

LEATHER	STAINLESS STEEL
.4H BLACK PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3H BLACK PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.4P BROWN PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3P BROWN PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

PVD ON REQUEST

.83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD

.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING
see page Levers_145



ITEM

2MH.030.ULT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

- | | |
|------------|---|
| | STAINLESS STEEL POWDER COATED |
| .40 | BLACK RAL 9005 - TO MATCH WITH PBA BLACK ALUMINIUM |
| .31 | WHITE RAL 9010 |

LEATHER

- BLACK**
WHITE



Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




CERTIFICATION LEATHER PF:

THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED® CREDITS**


2MH.030.ULT8 . xx



mortise



with return spring



- Matte powder coated
- Leather



.31



.40

LOCK
WOOD OR HM DOORS



FUNCTION BACKSET HOW TO ORDER

PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + ONLY LOCK	2MH.030.ULT8 . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + ONLY LOCK	2MH.030.ULT8 . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + ONLY LOCK	2MH.030.ULT8 . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + ONLY LOCK	2MH.030.ULT8 . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + ONLY LOCK	2MH.030.ULT8 . xx Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + ONLY LOCK	2MH.030.ULT8 . xx Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + ONLY LOCK	2MH.030.ULT8 . xx Add thumbturns page Levers_129

.XX = FINISH CODE

- | | |
|---|----------------------------------|
| .40 STAINLESS STEEL POWDER-COATED
BLACK RAL 9005 - TO MATCH WITH PBA BLACK ALUMINIUM
.31 WHITE RAL 9010 | LEATHER
BLACK
WHITE |
|---|----------------------------------|


(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

ANTIMICROBIAL
COPPER




ITEM

2MU.030.xxxx.4R

MATERIALS, FINISHING AND DETAILS

FINISH CODE

	COPPER	STAINLESS STEEL	
.4R	SATIN COPPER	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS


ANTIMICROBIAL
COPPER



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


2MU.030.0UT8 .4R

- mortise
- with return spring



2MU.030.00T4 .4R

- mortise
- without return spring




- Stainless Steel
- Satin Copper

LOCK
WOOD OR HM DOORS




FUNCTION BACKSET HOW TO ORDER


PASSAGE ANSI F01 2 1/2" 2 3/4" **2MM.LCK.0A00 . xx** + **2MU.030.0xTx .4R**
ONLY LOCK




OFFICE/CORRIDOR ANSI F04 2 1/2" 2 3/4" **2MM.LCK.0F00 . xx** + **2MU.030.0xTx .4R**
ONLY LOCK




CLASSROOM ANSI F05 2 1/2" 2 3/4" **2MM.LCK.0G00 . xx** + **2MU.030.0xTx .4R**
ONLY LOCK




STOREROOM ANSI F07 2 1/2" 2 3/4" **2MM.LCK.0P00 . xx** + **2MU.030.0xTx .4R**
ONLY LOCK




OFFICE/ENTRY ANSI F04 + F13 2 1/2" 2 3/4" **2MM.LCK.0I00 . xx** + **2MU.030.0xTx .4R**
ONLY LOCK Add thumbturns page Levers_129



DORMITORY ANSI F13 2 1/2" 2 3/4" **2MM.LCK.0E00 . xx** + **2MU.030.0xTx .4R**
ONLY LOCK Add thumbturns page Levers_129



PRIVACY ANSI F19 2 1/2" 2 3/4" **2MM.LCK.0M00 . xx** + **YOD.030.0xTx .4R**
ONLY LOCK Add thumbturns page Levers_129



FINISH CODE

- COPPER**
- STAINLESS STEEL**
- .4R SATIN COPPER SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

2AM.030.xxTx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

SATIN ANODIZED ALUMINUM

.67 BRONZE

.68 BLACK

.69 SILVER



DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED® CREDITS** **Declare.**


2AM.030.0UT8 . xx



mortise

with return spring


2AM.030.00T4 . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2AM.030.0xTx . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2AM.030.0xTx . xx ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2AM.030.0xTx . xx ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2AM.030.0xTx . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2AM.030.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2AM.030.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2AM.030.0xTx . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

- .67 SATIN ANODIZED ALUMINUM
- .68 BRONZE
- .69 BLACK
- .69 SILVER

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145




ITEM
2AM.030.ULT8.68

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

	SATIN ANODIZED ALUMINUM	LEATHER	
.68	BLACK	BLACK	

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.




CERTIFICATION LEATHER PF:
THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

2AM.030.ULT8 .68




mortise



with return spring

- Aluminium
- Leather

LOCK
WOOD OR HM DOORS



FUNCTION BACKSET HOW TO ORDER

<p>PASSAGE ANSI F01</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0A00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68</p>
<p>OFFICE/CORRIDOR ANSI F04</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0F00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68</p>
<p>CLASSROOM ANSI F05</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0G00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68</p>
<p>STOREROOM ANSI F07</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0P00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68</p>
<p>OFFICE/ENTRY ANSI F04 + F13</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0I00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68 Add thumbturns page Levers_129</p>
<p>DORMITORY ANSI F13</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0E00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68 Add thumbturns page Levers_129</p>
<p>PRIVACY ANSI F19</p>	<p>2 1/2" 2 3/4"</p>	<p>2MM.LCK.0M00 . xx + ONLY LOCK</p>	<p>2AM.030.ULT8 .68 Add thumbturns page Levers_129</p>

.XX = FINISH CODE

**.68 SATIN ANODIZED ALUMINUM
BLACK**

**LEATHER
BLACK**

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

2AM.001.xxTx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

SATIN ANODIZED ALUMINUM

.67 BRONZE

.68 BLACK

.69 SILVER

.66 CHAMPAGNE



DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**


2AM.001.0UT8 . xx



mortise

with return spring


2AM.001.00T4 . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2AM.001.0xTx . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2AM.001.0xTx . xx ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2AM.001.0xTx . xx ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2AM.001.0xTx . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2AM.001.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2AM.001.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2AM.001.0xTx . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

- SATIN ANODIZED ALUMINUM**
- .67 BRONZE
- .68 BLACK
- .69 SILVER
- .66 CHAMPAGNE

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



TITLE 24 *
COMPLIANCE
AVAILABLE

See pag. Levers_146

ITEM

2MM.30B.xxTx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.



THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




TITLE 24 *
COMPLIANCE
AVAILABLE



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


2MM.30B.0UT8 . xx



mortise



with return spring










LOCK
WOOD OR HM DOORS



TITLE 24 *
COMPLIANCE
AVAILABLE



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx  Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx  Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx +  ONLY LOCK 2MM.30B.0xTx . xx  Add thumbturns page Levers_129

.XX = FINISH CODE

- | | |
|---|---|
| STAINLESS STEEL | STAINLESS STEEL POWDER-COATED ON REQUEST |
| .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) | .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM |
| .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) | .26 BLACK RAL 9005 GLOSSY |
| | .31 WHITE RAL 9010 |
| PVD ON REQUEST | .32 GREY |
| .83 BLACK SATIN | .38 CHAMPAGNE |
| Colors on demand, minimum lot to be agreed. | .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM |
| Screws and grub screws not pvd | .36 ARCHITECTURAL BRONZE |
| | .56 MEDIUM BRONZE |
| .99 COLORS ON REQUEST TO MATCH ANY RAL # | .41 SILVER |
| (screws, grub screws and plastic parts non powder-coated) | .55 GOLD |
| available on request depending on quantities | |

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145
* SEE TECHNICAL INFORMATION FOR TITLE 24 INFORMATION
pag. Levers_146



ITEM

2MM.028.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA 
- .26 BLACK ALUMINUM 
- .31 WHITE RAL 9005 GLOSSY 
- .32 GREY 
- .38 CHAMPAGNE 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM 
- .36 ARCHITECTURAL BRONZE 
- .56 MEDIUM BRONZE 
- .41 SILVER 
- .55 GOLD 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




Ø 20



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**


2MM.028.0UT8 . xx



mortise

with return spring


2MM.028.00T4 . xx



mortise

without return spring


2MM.028.0Uxx . xx



mortise

without return spring

2MM.028.0Uxx . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS



+



Ø 20



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.028.0xTx . xx ONLY LOCK + 2MM.028.0Uxx . xx + 2MM.028.0Uxx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.028.0xTx . xx ONLY LOCK + 2MM.028.0Uxx . xx + 2MM.028.0Uxx . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.028.0xTx . xx ONLY LOCK + 2MM.028.0Uxx . xx + 2MM.028.0Uxx . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.028.0xTx . xx ONLY LOCK + 2MM.028.0Uxx . xx + 2MM.028.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.028.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.028.0Uxx . xx + Add thumbturns page Levers_129 2MM.028.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.028.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.028.0Uxx . xx + Add thumbturns page Levers_129 2MM.028.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.028.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.028.0Uxx . xx + Add thumbturns page Levers_129 2MM.028.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
WOOD OR HM DOORS




Ø 16



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**


2MM.016.0UT8 . xx



mortise

with return spring


2MM.016.00T4 . xx



mortise

without return spring


2MM.016.0Uxx . xx



mortise

without return spring

2MM.016.0Uxx . xx



mortise

without return spring


LOCK
WOOD OR HM DOORS



+



Ø 16



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.016.0xTx . xx ONLY LOCK + 2MM.016.0Uxx . xx + 2MM.016.0Uxx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.016.0xTx . xx ONLY LOCK + 2MM.016.0Uxx . xx + 2MM.016.0Uxx . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.016.0xTx . xx ONLY LOCK + 2MM.016.0Uxx . xx + 2MM.016.0Uxx . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.016.0xTx . xx ONLY LOCK + 2MM.016.0Uxx . xx + 2MM.016.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.016.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 + 2MM.016.0Uxx . xx + Add thumbturns page Levers_129 + 2MM.016.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.016.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 + 2MM.016.0Uxx . xx + Add thumbturns page Levers_129 + 2MM.016.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.016.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 + 2MM.016.0Uxx . xx + Add thumbturns page Levers_129 + 2MM.016.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD


- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.


SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.028.0008 . xx



with return spring

2MM.028.0004 . xx



without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

2MM.028.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.028.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.028.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.028.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.028.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.028.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.028.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.028.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM BACKSET FUNCTION

2MM.028.0D06 . xx	SINGLE	
2MM.028.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.028.0D05 . xx	SINGLE	
2MM.028.C0D5 . xx	PAIR	
dummy		
without return spring		

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

YOD.028.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE


	LEATHER	STAINLESS STEEL	
.4H	BLACK PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	
.3H	BLACK PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	
.4P	BROWN PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	
.3P	BROWN PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	

STAINLESS STEEL POWDER-COATED

.40	BLACK RAL 9005 MAT - TO MATCH WITH PBA	
.26	BLACK ALUMINUM	
.31	WHITE RAL 9005 GLOSSY	
.32	GREY	
.38	CHAMPAGNE	
.39	BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM	
.36	ARCHITECTURAL BRONZE	
.56	MEDIUM BRONZE	
.41	SILVER	
.55	GOLD	
.99	COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated). Available on request depending on quantities.	

PVD ON SELECTED ITEMS

.83	BLACK SATIN	
	Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd.	




CERTIFICATION LEATHER PF:

THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

YOD.028.0UT8 . xx




mortise
with return spring



YOD.028.00T4 . xx




mortise
without return spring



YOD.028.0Uxx . xx




mortise
without return spring





YOD.028.0Uxx . xx



mortise
without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + YOD.028.0xTx . xx ONLY LOCK + YOD.028.0Uxx . xx + YOD.028.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + YOD.028.0xTx . xx ONLY LOCK + YOD.028.0Uxx . xx + YOD.028.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + YOD.028.0xTx . xx ONLY LOCK + YOD.028.0Uxx . xx + YOD.028.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + YOD.028.0xTx . xx ONLY LOCK + YOD.028.0Uxx . xx + YOD.028.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + YOD.028.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 YOD.028.0Uxx . xx + Add thumbturns page Levers_129 YOD.028.0Uxx . xx + Add thumbturns page Levers_129 YOD.028.0Uxx . xx
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + YOD.028.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 YOD.028.0Uxx . xx + Add thumbturns page Levers_129 YOD.028.0Uxx . xx + Add thumbturns page Levers_129 YOD.028.0Uxx . xx
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + YOD.028.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 YOD.028.0Uxx . xx + Add thumbturns page Levers_129 YOD.028.0Uxx . xx + Add thumbturns page Levers_129 YOD.028.0Uxx . xx

.XX = FINISH CODE

LEATHER	STAINLESS STEEL
.4H BLACK PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3H BLACK PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.4P BROWN PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3P BROWN PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

.83 PVD ON REQUEST

BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD


.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING
see page Levers_145


HANDLE FOR MORTISE

GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

YOD.028.0008 . xx



with return spring

YOD.028.0004 . xx



without return spring

.XX = FINISH CODE

LEATHER	STAINLESS STEEL
.4H BLACK PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3H BLACK PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.4P BROWN PF	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.3P BROWN PF	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

PVD ON REQUEST

.83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd


STAINLESS STEEL POWDER-COATED ON REQUEST

.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD

.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING
see page Levers_145

ANTIMICROBIAL
COPPER



ITEM


2MU.028.xxxx.4R

MATERIALS, FINISHING AND DETAILS


FINISH CODE

	COPPER	STAINLESS STEEL	
.4R	SATIN COPPER	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	

AVAILABLE WITH RETURN SPRING



COMPATIBLE WITH US MORTISE LOCK




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS

ANTIMICROBIAL
COPPER




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

2MU.028.0UT8 .4R

mortise


with return spring



2MU.028.00T4 .4R

mortise

without return spring



- Stainless Steel
- Satin Copper

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MU.028.0xTx . 4R ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MU.028.0xTx . 4R ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MU.028.0xTx . 4R ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MU.028.0xTx . 4R ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MU.028.0xTx . 4R ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MU.028.0xTx . 4R ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + YOD.028.0xTx . 4R ONLY LOCK Add thumbturns page Levers_129

FINISH CODE

- COPPER**
- STAINLESS STEEL**
- .4R SATIN COPPER
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Mortise_6
FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



TITLE 24 *
COMPLIANCE
AVAILABLE

See pag. Levers_146

ITEM

2MM.28B.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA 
- .26 BLACK ALUMINUM 
- .31 WHITE RAL 9005 GLOSSY 
- .32 GREY 
- .38 CHAMPAGNE 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM 
- .36 ARCHITECTURAL BRONZE 
- .56 MEDIUM BRONZE 
- .41 SILVER 
- .55 GOLD 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



TITLE 24 *
COMPLIANCE
AVAILABLE




Declare.

ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

2MM.28U.0UT8 . xx




with return spring



2MM.28B.00T4 . xx




without return spring



2MM.28B.0Uxx . xx




without return spring



2MM.028.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



TITLE 24 *
COMPLIANCE
AVAILABLE



FUNCTION BACKSET HOW TO ORDER

PASSAGE
ANSI F01


2 1/2"
2 3/4"

2MM.LCK.0A00 . xx +
ONLY LOCK

2MM.28B.0xTx . xx

+ **2MM.28B.0Uxx . xx**

+ **2MM.28B.0Uxx . xx**



OFFICE/CORRIDOR
ANSI F04


2 1/2"
2 3/4"

2MM.LCK.0F00 . xx +
ONLY LOCK

2MM.28B.0xTx . xx

+ **2MM.28B.0Uxx . xx**

+ **2MM.28B.0Uxx . xx**



CLASSROOM
ANSI F05


2 1/2"
2 3/4"

2MM.LCK.0G00 . xx +
ONLY LOCK

2MM.28B.0xTx . xx

+ **2MM.28B.0Uxx . xx**

+ **2MM.28B.0Uxx . xx**



STOREROOM
ANSI F07


2 1/2"
2 3/4"

2MM.LCK.0P00 . xx +
ONLY LOCK

2MM.28B.0xTx . xx

+ **2MM.28B.0Uxx . xx**

+ **2MM.28B.0Uxx . xx**



OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"

2MM.LCK.0I00 . xx +
ONLY LOCK


2MM.28B.0xTx . xx

+ Add thumbturns
page Levers_129

+ **2MM.28B.0Uxx . xx**

+ Add thumbturns
page Levers_129

+ **2MM.28B.0Uxx . xx**



DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx +
ONLY LOCK


2MM.28B.0xTx . xx

+ Add thumbturns
page Levers_129

+ **2MM.28B.0Uxx . xx**

+ Add thumbturns
page Levers_129

+ **2MM.28B.0Uxx . xx**



PRIVACY
ANSI F19

2 1/2"
2 3/4"

2MM.LCK.0M00 . xx +
ONLY LOCK


2MM.28B.0xTx . xx

+ Add thumbturns
page Levers_129

+ **2MM.28B.0Uxx . xx**

+ Add thumbturns
page Levers_129

+ **2MM.28B.0Uxx . xx**



.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

* SEE TECHNICAL INFORMATION FOR TITLE 24 INFORMATION
pag. Levers_146

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities


MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.


SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.28B.0008 . xx



Ø with return spring

2MM.28B.0004 . xx



Ø without return spring

.XX = FINISH CODE

- .43 **STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

* SEE TECHNICAL INFORMATION FOR TITLE 24 INFORMATION
pag. Levers_146

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



TITLE 24



ITEM BACKSET FUNCTION

2MM.28B.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.28B.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.28B.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.28B.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.28B.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.28B.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.28B.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.28B.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



TITLE 24



ITEM BACKSET FUNCTION

2MM.28B.OD06 . xx	SINGLE	
2MM.28B.COD6 . xx	PAIR	
dummy		
without return spring		

2MM.28B.OD05 . xx	SINGLE	
2MM.28B.COD5 . xx	PAIR	
dummy		
without return spring		

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

3CC.326.0000.xx

MATERIALS, FINISHING AND DETAILS


.XX = FINISH CODE

POLYAMIDE 6

- .10** BLACK
- .01** WHITE
- .07** GREY
- .09** RED



Articles available with minimum order quantity for white, grey and red colors




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

3CC.326.0000 . xx




mortise

without return spring



LOCK
WOOD OR HM DOORS



FUNCTION BACKSET HOW TO ORDER

<p>PASSAGE ANSI F01</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0A00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx</p>
<p>OFFICE/CORRIDOR ANSI F04</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0F00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx</p>
<p>CLASSROOM ANSI F05</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0G00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx</p>
<p>STOREROOM ANSI F07</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0P00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx</p>
<p>OFFICE/ENTRY ANSI F04 + F13</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0I00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx Add thumbturns page Levers_129</p>
<p>DORMITORY ANSI F13</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0E00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx Add thumbturns page Levers_129</p>
<p>PRIVACY ANSI F19</p>	<p>2 1/2" 2 3/4"</p>	<p> 2MM.LCK.0M00 . xx + ONLY LOCK</p>	<p>3CC.326.0000 . xx Add thumbturns page Levers_129</p>

.XX = FINISH CODE

.10 POLYAMIDE 6 STANDARD
BLACK

POLYAMIDE 6 UPON REQUEST
(minimum lot to be agreed)

.01 WHITE
.07 GREY
.09 RED


MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Mortise_6
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


HANDLE FOR MORTISE

GLASS DOORS WITH ALUMINIUM PROFILE
OR WOOD AND HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

3CC.328.0000 . xx



~~Ø~~ without return spring

.XX = FINISH CODE

.10 POLYAMIDE 6 STANDARD
BLACK

POLYAMIDE 6 UPON REQUEST
(minimum lot to be agreed)

.01 WHITE
.07 GREY
.09 RED

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_143



ITEM

2MM.173.xxTx.xx

MATERIALS, FINISHING AND DETAILS


.XX = FINISH CODE

STAINLESS STEEL

- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING


HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS




2MM.173.0UT8 . xx



mortise

with return spring


2MM.173.00T4 . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.173.0xTx . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.173.0xTx . xx ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.173.0xTx . xx ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.173.0xTx . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.173.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.173.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.173.0xTx . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

2AM.173.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

SATIN ANODIZED ALUMINUM


.67 BRONZE

.68 BLACK

.69 SILVER



DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING


HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



2AM.173.0UT8 . xx




mortise



with return spring

2AM.173.00T4 . xx











mortise



without return spring

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx +  2AM.173.0xTx . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx +  2AM.173.0xTx . xx ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx +  2AM.173.0xTx . xx ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx +  2AM.173.0xTx . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx +  2AM.173.0xTx . xx ONLY LOCK  Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx +  2AM.173.0xTx . xx ONLY LOCK  Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx +  2AM.173.0xTx . xx ONLY LOCK  Add thumbturns page Levers_129

.XX = FINISH CODE

- .67 SATIN ANODIZED ALUMINUM
- .68 BRONZE
- .69 BLACK
- .69 SILVER

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM
2AM.173.ULT8.68

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

	SATIN ANODIZED ALUMINUM	LEATHER	
.68	BLACK	BLACK	

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.




CERTIFICATION LEATHER PF:
THESE PRODUCTS CONTRIBUTE TO **LEED** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING





BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

2AM.173.ULT8.68





mortise



with return spring


- Aluminium
- Leather

LOCK
WOOD OR HM DOORS




FUNCTION BACKSET HOW TO ORDER


PASSAGE ANSI F01 2 1/2" 2 3/4" 2MM.LCK.0A00 . xx + 2AM.173.ULT8.68 ONLY LOCK




OFFICE/CORRIDOR ANSI F04 2 1/2" 2 3/4" 2MM.LCK.0F00 . xx + 2AM.173.ULT8.68 ONLY LOCK




CLASSROOM ANSI F05 2 1/2" 2 3/4" 2MM.LCK.0G00 . xx + 2AM.173.ULT8.68 ONLY LOCK




STOREROOM ANSI F07 2 1/2" 2 3/4" 2MM.LCK.0P00 . xx + 2AM.173.ULT8.68 ONLY LOCK




OFFICE/ENTRY ANSI F04 + F13 2 1/2" 2 3/4" 2MM.LCK.0I00 . xx + 2AM.173.ULT8.68 ONLY LOCK Add thumbturns page Levers_129



DORMITORY ANSI F13 2 1/2" 2 3/4" 2MM.LCK.0E00 . xx + 2AM.173.ULT8.68 ONLY LOCK Add thumbturns page Levers_129



PRIVACY ANSI F19 2 1/2" 2 3/4" 2MM.LCK.0M00 . xx + 2AM.173.ULT8.68 ONLY LOCK Add thumbturns page Levers_129



.XX = FINISH CODE

SATIN ANODIZED ALUMINUM
.68 BLACK

LEATHER
BLACK

DIFFERENCES IN THE FINISHING OF (DIFFERENT) COMPONENTS ARE DUE TO THE DIFFERENT PRODUCTION METHODS. THESE VARIATIONS ARE NOT CONSIDERED DEFECTS AND ARE A NATURAL RESULT OF THE FINISHING PROCESS.

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

2MM.026.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



2MM.026.0UT8 . xx




with return spring



2MM.026.00T4 . xx




without return spring



2MM.026.0Uxx . xx




without return spring





2MM.026.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.026.0xTx . xx ONLY LOCK + 2MM.026.0Uxx . xx + 2MM.026.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.026.0xTx . xx ONLY LOCK + 2MM.026.0Uxx . xx + 2MM.026.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.026.0xTx . xx ONLY LOCK + 2MM.026.0Uxx . xx + 2MM.026.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.026.0xTx . xx ONLY LOCK + 2MM.026.0Uxx . xx + 2MM.026.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.026.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.026.0Uxx . xx + Add thumbturns page Levers_129 2MM.026.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.026.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.026.0Uxx . xx + Add thumbturns page Levers_129 2MM.026.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.026.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.026.0Uxx . xx + Add thumbturns page Levers_129 2MM.026.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities


MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.


SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.026.0008 . xx



Ø with return spring

2MM.026.0004 . xx



Ø without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
.43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- PVD ON REQUEST**
.83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

2MM.026.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.026.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.026.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.026.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.026.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.026.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.026.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.026.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

LATCH DETAILS
page Levers_147

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

2MM.026.0D06 . xx	SINGLE	
2MM.026.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.026.0D05 . xx	SINGLE	
2MM.026.C0D5 . xx	PAIR	
dummy		
without return spring		



ITEM

2MM.027.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**

2MM.027.0UT8 . xx




- mortise
- with return spring

2MM.027.00T4 . xx




- mortise
- without return spring

2MM.027.0Uxx . xx




- mortise
- without return spring

2MM.027.0Uxx . xx



- mortise
- without return spring

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx + 2MM.027.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx + 2MM.027.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx + 2MM.027.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx + 2MM.027.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx Add thumbturns page Levers_129 + 2MM.027.0Uxx . xx Add thumbturns page Levers_129 + 2MM.027.0Uxx . xx Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx Add thumbturns page Levers_129 + 2MM.027.0Uxx . xx Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.027.0xTx . xx ONLY LOCK + 2MM.027.0Uxx . xx Add thumbturns page Levers_129 + 2MM.027.0Uxx . xx Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities


MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.


SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.027.0008 . xx



with return spring

2MM.027.0004 . xx



without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
.43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- PVD ON REQUEST**
.83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

2MM.027.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.027.SA60 . xx	60 mm 2 3/8"		

latch included

with return spring



2MM.027.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.027.SB60 . xx	60 mm 2 3/8"		

latch included

with return spring



2MM.027.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.027.MA60 . xx	60 mm 2 3/8"		

latch included

with return spring



2MM.027.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.027.MB60 . xx	60 mm 2 3/8"		

latch included

with return spring



HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

2MM.027.0D06 . xx	SINGLE	
2MM.027.C0D6 . xx	PAIR	

dummy

without return spring

2MM.027.0D05 . xx	SINGLE	
2MM.027.C0D5 . xx	PAIR	

dummy

without return spring

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS

page Levers_147



ITEM

2MM.170.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**


2MM.170.0UT8 . xx



mortise

with return spring


2MM.170.00T4 . xx



mortise

without return spring


2MM.170.0Uxx . xx



mortise

without return spring



2MM.170.0Uxx . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + ONLY LOCK + 2MM.170.0Tx . xx + 2MM.170.0Uxx . xx + 2MM.170.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + ONLY LOCK + 2MM.170.0Tx . xx + 2MM.170.0Uxx . xx + 2MM.170.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + ONLY LOCK + 2MM.170.0Tx . xx + 2MM.170.0Uxx . xx + 2MM.170.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + ONLY LOCK + 2MM.170.0Tx . xx + 2MM.170.0Uxx . xx + 2MM.170.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + ONLY LOCK + Add thumbturns page Levers_129 2MM.170.0Tx . xx + Add thumbturns page Levers_129 2MM.170.0Uxx . xx + Add thumbturns page Levers_129 2MM.170.0Uxx . xx
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + ONLY LOCK + Add thumbturns page Levers_129 2MM.170.0Tx . xx + Add thumbturns page Levers_129 2MM.170.0Uxx . xx + Add thumbturns page Levers_129 2MM.170.0Uxx . xx
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + ONLY LOCK + Add thumbturns page Levers_129 2MM.170.0Tx . xx + Add thumbturns page Levers_129 2MM.170.0Uxx . xx + Add thumbturns page Levers_129 2MM.170.0Uxx . xx

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION


MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


HANDLE FOR MORTISE

GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.170.0008 . xx



with return spring

2MM.170.0004 . xx



without return spring

.XX = FINISH CODE

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



PLUS-DESIGN/ECOM



ITEM	BACKSET	FUNCTION	
2MM.170.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.170.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			
2MM.170.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.170.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			
2MM.170.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.170.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			
2MM.170.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.170.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM	BACKSET	FUNCTION	
2MM.170.0D06 . xx		SINGLE	
2MM.170.C0D6 . xx		PAIR	
dummy			
without return spring			
2MM.170.0D05 . xx		SINGLE	
2MM.170.C0D5 . xx		PAIR	
dummy			
without return spring			

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

0IT.151.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)**

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA**
- .26 BLACK ALUMINUM**
- .31 WHITE RAL 9005 GLOSSY**
- .32 GREY**
- .38 CHAMPAGNE**
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM**
- .36 ARCHITECTURAL BRONZE**
- .56 MEDIUM BRONZE**
- .41 SILVER**
- .55 GOLD**
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN**
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING


HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



● 0IT.151.0UT8 . xx



■ 0IT.151.0UQ8 . xx


mortise

with return spring

0IT.151.00T4 . xx

mortise


without return spring



0IT.151.0Uxx . xx

mortise


without return spring



0IT.151.0Uxx . xx

mortise

without return spring



.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST
BLACK SATIN

- .83 Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

LOCK
WOOD OR HM DOORS



FUNCTION

BACKSET


HOW TO ORDER

PASSAGE
ANSI F01

2 1/2"
2 3/4"

2MM.LCK.0A00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ 0IT.151.0Uxx . xx


+ 0IT.151.0Uxx . xx

OFFICE/CORRIDOR
ANSI F04

2 1/2"
2 3/4"

2MM.LCK.0F00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ 0IT.151.0Uxx . xx


+ 0IT.151.0Uxx . xx

CLASSROOM
ANSI F05

2 1/2"
2 3/4"

2MM.LCK.0G00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ 0IT.151.0Uxx . xx


+ 0IT.151.0Uxx . xx

STOREROOM
ANSI F07

2 1/2"
2 3/4"

2MM.LCK.0P00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ 0IT.151.0Uxx . xx


+ 0IT.151.0Uxx . xx

OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"

2MM.LCK.0I00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ Add thumbturns
page Levers_129

+ Add thumbturns
page Levers_129


+ Add thumbturns
page Levers_129

DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ Add thumbturns
page Levers_129

+ Add thumbturns
page Levers_129


+ Add thumbturns
page Levers_129

PRIVACY
ANSI F19

2 1/2"
2 3/4"

2MM.LCK.0M00 . xx
ONLY LOCK

+ 0IT.151.0xTx . xx



+ Add thumbturns
Levers_129

+ Add thumbturns
Levers_129

+ Add thumbturns
Levers_129

.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

0IT.151.SA70 . xx	70 mm 2 3/4"	PASSAGE	
0IT.151.SA60 . xx	60 mm 2 3/8"		

latch included

with return spring



0IT.151.SB70 . xx	70 mm 2 3/4"	PRIVACY	
0IT.151.SB60 . xx	60 mm 2 3/8"		

latch included

with return spring



0IT.151.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
0IT.151.MA60 . xx	60 mm 2 3/8"		

latch included

with return spring



0IT.151.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
0IT.151.MB60 . xx	60 mm 2 3/8"		

latch included

with return spring



HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM BACKSET FUNCTION

0IT.151.OD06 . xx	SINGLE	
0IT.151.C0D6 . xx	PAIR	

dummy

without return spring

0IT.151.OD05 . xx	SINGLE	
0IT.151.C0D5 . xx	PAIR	

dummy

without return spring

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

0IT.152.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING


HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

● 0IT.152.0UT8 . xx	50 1 31/32"	20 25/32"
■ 0IT.152.0UQ8 . xx	60 2 23/64"	8 5/16"
	130 5 1/8"	5 3/16"
mortise	50 1 31/32"	20 25/32"
with return spring	60 2 23/64"	8 5/16"
	130 5 1/8"	5 3/16"
0IT.152.00T4 . xx	50 1 31/32"	20 25/32"
mortise		
without return spring	56 2 13/64"	4 5/32"
	130 5 1/8"	5 3/16"
0IT.152.0Uxx . xx	180 7 5/64"	20 25/32"
mortise		
without return spring	53 2 3/32"	2 5/64"
	130 5 1/8"	5 3/16"
0IT.152.0Uxx . xx	45 1 3/4"	20 25/32"
mortise		
without return spring	215 8 15/32"	2 5/64"
	53 2 3/32"	5 3/16"

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129 + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129 + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129 + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + ONLY LOCK + 0IT.152.0Tx . xx + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129 + 0IT.152.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- PVD ON REQUEST**
- BLACK SATIN
 - .83 Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD

.99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

0IT.152.SA70 . xx	70 mm 2 3/4"	PASSAGE	
0IT.152.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



0IT.152.SB70 . xx	70 mm 2 3/4"	PRIVACY	
0IT.152.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



0IT.152.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
0IT.152.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



0IT.152.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
0IT.152.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM BACKSET FUNCTION

0IT.152.0D06 . xx	SINGLE	
0IT.152.C0D6 . xx	PAIR	
dummy		
without return spring		

0IT.152.0D05 . xx	SINGLE	
0IT.152.C0D5 . xx	PAIR	
dummy		
without return spring		

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

0IT.153.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**

● 0IT.153.0UT8 . xx




■ 0IT.153.0UQ8 . xx

mortise

with return spring


0IT.153.00T4 . xx



mortise

without return spring


0IT.153.0Uxx . xx



mortise

without return spring

0IT.153.0Uxx . xx



mortise

without return spring

.XX = FINISH CODE

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)



PVD ON REQUEST

- BLACK SATIN
- .83 Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST


- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

LOCK
WOOD OR HM DOORS



FUNCTION BACKSET HOW TO ORDER


PASSAGE ANSI F01 2 1/2" 2 3/4" 2MM.LCK.0A00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ 0IT.153.0Uxx . xx

+ 0IT.153.0Uxx . xx


OFFICE/CORRIDOR ANSI F04 2 1/2" 2 3/4" 2MM.LCK.0F00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ 0IT.153.0Uxx . xx

+ 0IT.153.0Uxx . xx


CLASSROOM ANSI F05 2 1/2" 2 3/4" 2MM.LCK.0G00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ 0IT.153.0Uxx . xx

+ 0IT.153.0Uxx . xx


STOREROOM ANSI F07 2 1/2" 2 3/4" 2MM.LCK.0P00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ 0IT.153.0Uxx . xx

+ 0IT.153.0Uxx . xx


OFFICE/ENTRY ANSI F04 + F13 2 1/2" 2 3/4" 2MM.LCK.0I00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ Add thumbturns page Levers_129 0IT.153.0Uxx . xx

+ Add thumbturns page Levers_129 0IT.153.0Uxx . xx


DORMITORY ANSI F13 2 1/2" 2 3/4" 2MM.LCK.0E00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ Add thumbturns page Levers_129 0IT.153.0Uxx . xx

+ Add thumbturns page Levers_129 0IT.153.0Uxx . xx

PRIVACY ANSI F19 2 1/2" 2 3/4" 2MM.LCK.0M00 . xx + ONLY LOCK 0IT.153.0xTx . xx



+ Add thumbturns page Levers_129 0IT.153.0Uxx . xx

+ Add thumbturns page Levers_129 0IT.153.0Uxx . xx

.99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

01T.153.SA70 . xx	70 mm 2 3/4"	PASSAGE	
01T.153.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



01T.153.SB70 . xx	70 mm 2 3/4"	PRIVACY	
01T.153.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



01T.153.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
01T.153.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



01T.153.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
01T.153.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



HANDLE DUMMY THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS
WOOD OR HM DOORS



ITEM

01T.153.0D06 . xx	SINGLE	
01T.153.C0D6 . xx	PAIR	
dummy		
without return spring		

01T.153.0D05 . xx	SINGLE	
01T.153.C0D5 . xx	PAIR	
dummy		
without return spring		

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

2MM.020.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

2MM.020.0UT8 . xx




with return spring



2MM.020.00T4 . xx




without return spring



2MM.020.0Uxx . xx




without return spring




2MM.020.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.020.0xTx . xx ONLY LOCK + 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.020.0xTx . xx ONLY LOCK + 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.020.0xTx . xx ONLY LOCK + 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.020.0xTx . xx ONLY LOCK + 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.020.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.020.0Uxx . xx + Add thumbturns page Levers_129 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.020.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.020.0Uxx . xx + Add thumbturns page Levers_129 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.020.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.020.0Uxx . xx + Add thumbturns page Levers_129 2MM.020.0Uxx . xx + 2MM.020.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- PVD ON REQUEST
- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION


MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE

GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS



2MM.020.0008 . xx


32

1 17/64"



62

2 7/16"



20

25/32"

Ø with return spring

62

2 7/16"



10

13/32"

4

5/32"



125

4 29/32"

2MM.020.0004 . xx


32

1 17/64"



62

2 7/16"



20

25/32"

Ø without return spring

57

2 1/4"



4

5/32"

4

5/32"



125

4 29/32"

.XX = FINISH CODE

STAINLESS STEEL

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

2MM.020.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.020.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.020.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.020.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.020.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.020.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.020.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.020.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM FUNCTION

2MM.020.0D06 . xx	SINGLE	
2MM.020.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.020.0D05 . xx	SINGLE	
2MM.020.C0D5 . xx	PAIR	
dummy		
without return spring		

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

2MM.20S.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL

- .44** SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .43** BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)




STAINLESS STEEL POWDER-COATED

- .40** BLACK RAL 9005 MAT - TO MATCH WITH PBA
- .26** BLACK ALUMINUM
- .31** WHITE RAL 9005 GLOSSY
- .32** GREY
- .38** CHAMPAGNE
- .39** BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36** ARCHITECTURAL BRONZE
- .56** MEDIUM BRONZE
- .41** SILVER
- .55** GOLD
- .99** COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.



PVD ON SELECTED ITEMS

- .83** BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


2MM.20S.0UT8 . xx




with return spring



2MM.20S.00T4 . xx




without return spring



2MM.20S.0Uxx . xx




without return spring




2MM.20S.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



FUNCTION BACKSET HOW TO ORDER

PASSAGE ANSI F01 2 1/2" 2 3/4" 2MM.LCK.0A00 . xx + ONLY LOCK 2MM.20S.0xTx . xx



OFFICE/CORRIDOR ANSI F04 2 1/2" 2 3/4" 2MM.LCK.0F00 . xx + ONLY LOCK 2MM.20S.0xTx . xx




CLASSROOM ANSI F05 2 1/2" 2 3/4" 2MM.LCK.0G00 . xx + ONLY LOCK 2MM.20S.0xTx . xx




STOREROOM ANSI F07 2 1/2" 2 3/4" 2MM.LCK.0P00 . xx + ONLY LOCK 2MM.20S.0xTx . xx



OFFICE/ENTRY ANSI F04 + F13 2 1/2" 2 3/4" 2MM.LCK.0I00 . xx + ONLY LOCK 2MM.20S.0xTx . xx



DORMITORY ANSI F13 2 1/2" 2 3/4" 2MM.LCK.0E00 . xx + ONLY LOCK 2MM.20S.0xTx . xx



PRIVACY ANSI F19 2 1/2" 2 3/4" 2MM.LCK.0M00 . xx + ONLY LOCK 2MM.20S.0xTx . xx



.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION


MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE


GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS




2MM.20S.0008 . xx



Ø with return spring

2MM.20S.0004 . xx



Ø without return spring

.XX = FINISH CODE

- .43 **STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

P B A
PATENTED
DESIGN

PATENT
0000098918



ITEM

2MM.015.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL

- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**

2MM.015.0UT8 . xx




with return spring



2MM.015.00T4 . xx




without return spring



2MM.015.0Uxx . xx




without return spring





2MM.015.0Uxx . xx



without return spring




LOCK
WOOD OR HM DOORS




FUNCTION BACKSET HOW TO ORDER

PASSAGE ANSI F01 2 1/2" 2 3/4" 2MM.LCK.0A00 . xx ONLY LOCK + 2MM.015.0xTx . xx




+ 2MM.015.0Uxx . xx
+ 2MM.015.0Uxx . xx

OFFICE/CORRIDOR ANSI F04 2 1/2" 2 3/4" 2MM.LCK.0F00 . xx ONLY LOCK + 2MM.015.0xTx . xx




+ 2MM.015.0Uxx . xx
+ 2MM.015.0Uxx . xx

CLASSROOM ANSI F05 2 1/2" 2 3/4" 2MM.LCK.0G00 . xx ONLY LOCK + 2MM.015.0xTx . xx




+ 2MM.015.0Uxx . xx
+ 2MM.015.0Uxx . xx

STOREROOM ANSI F07 2 1/2" 2 3/4" 2MM.LCK.0P00 . xx ONLY LOCK + 2MM.015.0xTx . xx




+ 2MM.015.0Uxx . xx
+ 2MM.015.0Uxx . xx

OFFICE/ENTRY ANSI F04 + F13 2 1/2" 2 3/4" 2MM.LCK.0I00 . xx ONLY LOCK + 2MM.015.0xTx . xx




+ Add thumbturns page Levers_129
+ 2MM.015.0Uxx . xx
+ Add thumbturns page Levers_129
+ 2MM.015.0Uxx . xx
+ Add thumbturns page Levers_129

DORMITORY ANSI F13 2 1/2" 2 3/4" 2MM.LCK.0E00 . xx ONLY LOCK + 2MM.015.0xTx . xx



+ Add thumbturns page Levers_129
+ 2MM.015.0Uxx . xx
+ Add thumbturns page Levers_129
+ 2MM.015.0Uxx . xx
+ Add thumbturns page Levers_129

PRIVACY ANSI F19 2 1/2" 2 3/4" 2MM.LCK.0M00 . xx ONLY LOCK + 2MM.015.0xTx . xx



+ Add thumbturns page Levers_129
+ 2MM.015.0Uxx . xx
+ Add thumbturns page Levers_129
+ 2MM.015.0Uxx . xx
+ Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)


MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS




2MM.015.0008 . xx



Ø with return spring

2MM.015.0004 . xx



Ø without return spring

.XX = FINISH CODE

STAINLESS STEEL

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM	BACKSET	FUNCTION
------	---------	----------

2MM.015.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.015.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.015.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.015.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.015.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.015.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.015.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.015.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

.XX = FINISH CODE
 STAINLESS STEEL
 .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM	BACKSET	FUNCTION
------	---------	----------

2MM.015.0D06 . xx	SINGLE	
2MM.015.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.015.0D05 . xx	SINGLE	
2MM.015.C0D5 . xx	PAIR	
dummy		
without return spring		



ITEM

2MM.171.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS




2MM.171.0UT8 . xx




with return spring




2MM.171.00T4 . xx




without return spring




2MM.171.0Uxx . xx




without return spring





2MM.171.0Uxx . xx



without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.171.0xTx . xx ONLY LOCK + 2MM.171.0Uxx . xx + 2MM.171.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.171.0xTx . xx ONLY LOCK + 2MM.171.0Uxx . xx + 2MM.171.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.171.0xTx . xx ONLY LOCK + 2MM.171.0Uxx . xx + 2MM.171.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.171.0xTx . xx ONLY LOCK + 2MM.171.0Uxx . xx + 2MM.171.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.171.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.171.0Uxx . xx + Add thumbturns page Levers_129 2MM.171.0Uxx . xx + Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.171.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.171.0Uxx . xx + Add thumbturns page Levers_129 2MM.171.0Uxx . xx + Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.171.0xTx . xx ONLY LOCK + Add thumbturns page Levers_129 2MM.171.0Uxx . xx + Add thumbturns page Levers_129 2MM.171.0Uxx . xx + Add thumbturns page Levers_129

.XX = FINISH CODE

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD


- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.


SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

2MM.171.0008 . xx



with return spring

2MM.171.0004 . xx



without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



LIM - DESIGN DIMITRI SAUTIER
FOR FRANKLIN AZZURRO ARCHITECTURE



ITEM BACKSET FUNCTION

2MM.171.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.171.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



2MM.171.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.171.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



2MM.171.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.171.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



2MM.171.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.171.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			



HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

2MM.171.0D06 . xx	SINGLE	
2MM.171.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.171.0D05 . xx	SINGLE	
2MM.171.C0D5 . xx	PAIR	
dummy		
without return spring		

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
- (screws, grub screws and plastic parts non powder-coated)
- available on request depending on quantities

LATCH DETAILS
page Levers_147



ITEM

2MM.022.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL

- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)



STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA
- .26 BLACK ALUMINUM
- .31 WHITE RAL 9005 GLOSSY
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS




2MM.022.0UT8 . xx

- mortise
- with return spring




2MM.022.00T4 . xx

- mortise
- without return spring




2MM.022.0Uxx . xx

- mortise
- without return spring



2MM.022.0Uxx . xx

- mortise
- without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx + 2MM.022.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx + 2MM.022.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx + 2MM.022.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx + 2MM.022.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx Add thumbturns page Levers_129 + 2MM.022.0Uxx . xx Add thumbturns page Levers_129 + 2MM.022.0Uxx . xx Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx Add thumbturns page Levers_129 + 2MM.022.0Uxx . xx Add thumbturns page Levers_129 + 2MM.022.0Uxx . xx Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.022.0xTx . xx ONLY LOCK + 2MM.022.0Uxx . xx Add thumbturns page Levers_129 + 2MM.022.0Uxx . xx Add thumbturns page Levers_129 + 2MM.022.0Uxx . xx Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities


- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS




2MM.022.0008 . xx



Ø with return spring

2MM.022.0004 . xx



Ø without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

2MM.022.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.022.SA60 . xx	60 mm 2 3/8"		

latch included

with return spring



2MM.022.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.022.SB60 . xx	60 mm 2 3/8"		

latch included

with return spring



2MM.022.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.022.MA60 . xx	60 mm 2 3/8"		

latch included

with return spring



2MM.022.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.022.MB60 . xx	60 mm 2 3/8"		

latch included

with return spring



.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM BACKSET FUNCTION

2MM.022.0D06 . xx	SINGLE	
2MM.022.C0D6 . xx	PAIR	

dummy

without return spring

2MM.022.0D05 . xx	SINGLE	
2MM.022.C0D5 . xx	PAIR	

dummy

without return spring



ITEM

2MM.172.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL

- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D) 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32) 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA 
- .26 BLACK ALUMINUM 
- .31 WHITE RAL 9005 GLOSSY 
- .32 GREY 
- .38 CHAMPAGNE 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM 
- .36 ARCHITECTURAL BRONZE 
- .56 MEDIUM BRONZE 
- .41 SILVER 
- .55 GOLD 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING


HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


2MM.172.0UT8 . xx

- mortise
- with return spring




2MM.172.00T4 . xx

- mortise
- without return spring




2MM.172.0Uxx . xx

- mortise
- without return spring





2MM.172.0Uxx . xx

- mortise
- without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2"	2MM.LCK.0A00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2"	2MM.LCK.0F00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx
CLASSROOM ANSI F05 	2 1/2"	2MM.LCK.0G00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx
STOREROOM ANSI F07 	2 1/2"	2MM.LCK.0P00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2"	2MM.LCK.0I00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx
DORMITORY ANSI F13 	2 1/2"	2MM.LCK.0E00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx
PRIVACY ANSI F19 	2 1/2"	2MM.LCK.0M00 . xx + 2MM.172.0xTx . xx
	2 3/4"	ONLY LOCK + 2MM.172.0Uxx . xx
		+ 2MM.172.0Uxx . xx

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143 FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.


SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE FOR MORTISE
GLASS DOORS WITH ALUMINUM PROFILE
OR WOOD AND HM DOORS




Red List Free
Declare.

ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS




2MM.172.0008 . xx



Ø with return spring

2MM.172.0004 . xx



Ø without return spring

.XX = FINISH CODE

- STAINLESS STEEL**
.43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- PVD ON REQUEST**
.83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
.40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
.26 BLACK RAL 9005 GLOSSY
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.36 ARCHITECTURAL BRONZE
.56 MEDIUM BRONZE
.41 SILVER
.55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



VAGUE - DESIGN ANNE DEMIANS



ITEM BACKSET FUNCTION

2MM.172.SA70 . xx	70 mm 2 3/4"	PASSAGE	
2MM.172.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.172.SB70 . xx	70 mm 2 3/4"	PRIVACY	
2MM.172.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.172.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
2MM.172.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

2MM.172.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
2MM.172.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- PVD ON REQUEST**
- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

LATCH DETAILS
page Levers_147

HANDLE DUMMY
WOOD OR HM DOORS


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

2MM.172.0D06 . xx	SINGLE	
2MM.172.C0D6 . xx	PAIR	
dummy		
without return spring		

2MM.172.0D05 . xx	SINGLE	
2MM.172.C0D5 . xx	PAIR	
dummy		
without return spring		



ITEM

2MM.175.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS




2MM.175.0UT8 . xx



mortise

with return spring




2MM.175.00T4 . xx




mortise

without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + 2MM.175.0xTx . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + 2MM.175.0xTx . xx ONLY LOCK
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + 2MM.175.0xTx . xx ONLY LOCK
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + 2MM.175.0xTx . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + 2MM.175.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + 2MM.175.0xTx . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + 2MM.175.0xTx . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

- PVD ON REQUEST**
- BLACK SATIN
 - .83 Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL # (screws, grub screws and plastic parts non powder-coated) available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING (SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

2MM.174.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL


- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)** 
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)** 

STAINLESS STEEL POWDER-COATED

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA** 
- .26 BLACK ALUMINUM** 
- .31 WHITE RAL 9005 GLOSSY** 
- .32 GREY** 
- .38 CHAMPAGNE** 
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM** 
- .36 ARCHITECTURAL BRONZE** 
- .56 MEDIUM BRONZE** 
- .41 SILVER** 
- .55 GOLD** 
- .99 COLORS ON REQUEST TO MATCH ANY RAL #**
(screws, grub screws and plastic parts non powder-coated).
Available on request depending on quantities.

PVD ON SELECTED ITEMS

- .83 BLACK SATIN** 
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS




ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS **Declare.**

2MM.174.0UT8 . xx




with return spring





2MM.174.00T4 . xx










without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx +  ONLY LOCK 2MM.174.0xTx . xx
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx +  ONLY LOCK 2MM.174.0xTx . xx
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx +  ONLY LOCK 2MM.174.0xTx . xx
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx +  ONLY LOCK 2MM.174.0xTx . xx
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx +  ONLY LOCK 2MM.174.0xTx . xx  Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx +  ONLY LOCK 2MM.174.0xTx . xx  Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx +  ONLY LOCK 2MM.174.0xTx . xx  Add thumbturns page Levers_129

.XX = FINISH CODE

WOOD	STAINLESS STEEL
.46 WENGÉ	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.49 WENGÉ	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.47 ASH	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.50 ASH	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.48 MAHOGANY	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.51 MAHOGANY	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
PVD ON REQUEST	
.83 BLACK SATIN	
Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd	

STAINLESS STEEL POWDER-COATED ON REQUEST
.40 BLACK RAL 9005 - TO MATCH WITH PBA BLACK ALUMINUM
.31 WHITE RAL 9010
.32 GREY
.38 CHAMPAGNE
.39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
.41 SILVER
.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS
STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.
SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

YOD.001.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

- MATT CLEAR COATED WOOD**
- .46 WENGÈ**
 - .49 WENGÈ**
 - .47 ASH**
 - .50 ASH**
 - .48 MAHOGANY**
 - .51 MAHOGANY**

- STAINLESS STEEL**
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)**
 - BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)**
 - SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)**
 - BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)**
 - SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)**
 - BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)**



- PVD ON SELECTED ITEMS**
- .83 BLACK SATIN**

Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


YOD.001.0UT8 . xx



mortise

with return spring


YOD.001.00T4 . xx



mortise

without return spring


YOD.001.0Uxx . xx



mortise

without return spring


YOD.001.0Uxx . xx



mortise

without return spring

LOCK
WOOD OR HM DOORS




FUNCTION BACKSET HOW TO ORDER

PASSAGE
ANSI F01

2 1/2"
2 3/4"

2MM.LCK.0A00 . xx
ONLY LOCK

+ **YOD.001.0xTx . xx**



+ **YOD.001.0Uxx . xx**


+ **YOD.001.0Uxx . xx**

OFFICE/CORRIDOR
ANSI F04

2 1/2"
2 3/4"

2MM.LCK.0F00 . xx
ONLY LOCK

+ **YOD.001.0xTx . xx**



+ **YOD.001.0Uxx . xx**


+ **YOD.001.0Uxx . xx**

CLASSROOM
ANSI F05

2 1/2"
2 3/4"

2MM.LCK.0G00 . xx
ONLY LOCK

+ **YOD.001.0xTx . xx**



+ **YOD.001.0Uxx . xx**


+ **YOD.001.0Uxx . xx**

STOREROOM
ANSI F07

2 1/2"
2 3/4"

2MM.LCK.0P00 . xx
ONLY LOCK

+ **YOD.001.0UTx . xx**



+ **YOD.001.0Uxx . xx**


+ **YOD.001.0Uxx . xx**

OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"

2MM.LCK.0I00 . xx
ONLY LOCK

+ **YOD.001.0xTx . xx**



+ **YOD.001.0Uxx . xx**


+ **YOD.001.0Uxx . xx**

DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx
ONLY LOCK

+ **YOD.001.0xTx . xx**



+ **YOD.001.0Uxx . xx**


+ **YOD.001.0Uxx . xx**

PRIVACY
ANSI F19

2 1/2"
2 3/4"

2MM.LCK.0M00 . xx
ONLY LOCK

+ **YOD.001.0xTx . xx**



+ **YOD.001.0Uxx . xx**

+ **YOD.001.0Uxx . xx**

.XX = FINISH CODE

MATT CLEAR COATED WOOD
.46 WENGÉ
.49 WENGÉ
.47 ASH
.50 ASH
.48 MAHOGANY
.51 MAHOGANY

STAINLESS STEEL
SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

PVD ON REQUEST

.83 BLACK SATIN
Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

YOD.001.SA70 . xx	70 mm 2 3/4"	PASSAGE	
YOD.001.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

YOD.001.SB70 . xx	70 mm 2 3/4"	PRIVACY	
YOD.001.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

YOD.001.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
YOD.001.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

YOD.001.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
YOD.001.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

.XX = FINISH CODE

MATT CLEAR COATED WOOD	STAINLESS STEEL
.46 WENGÉ	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.49 WENGÉ	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.47 ASH	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.50 ASH	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
.48 MAHOGANY	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
.51 MAHOGANY	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

PVD ON REQUEST
.83 BLACK SATIN
Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

YOD.001.0D06 . xx	SINGLE	
YOD.001.C0D6 . xx	PAIR	
dummy		
without return spring		

YOD.001.0D05 . xx	SINGLE	
YOD.001.C0D5 . xx	PAIR	
dummy		
without return spring		



ITEM


STA.001.0UT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL AISI 316L		ALUMINUM	
.4K	SATIN	SILVER	
.4M	SATIN	BRONZE	
.4N	SATIN	BLACK	
.3K	BRIGHT	SILVER	
.3M	BRIGHT	BRONZE	
.3N	BRIGHT	BLACK	

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS

STA.001.0UT8 . xx



mortise

with return spring

Stainless Steel
 Aluminium



.4K





.4M



.4N

LOCK
WOOD OR HM DOORS



FUNCTION

BACKSET


HOW TO ORDER

PASSAGE
ANSI F01

2 1/2"
2 3/4"

2MM.LCK.0A00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx




OFFICE/CORRIDOR
ANSI F04

2 1/2"
2 3/4"

2MM.LCK.0F00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx




CLASSROOM
ANSI F05

2 1/2"
2 3/4"

2MM.LCK.0G00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx




STOREROOM
ANSI F07

2 1/2"
2 3/4"

2MM.LCK.0P00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx




OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"

2MM.LCK.0I00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx
 Add thumbturns
page Levers_129




DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx
 Add thumbturns
page Levers_129




PRIVACY
ANSI F19

2 1/2"
2 3/4"

2MM.LCK.0M00 . xx + **ONLY LOCK**

STA.001.0UT8 . xx
 Add thumbturns
page Levers_129



.XX = FINISH CODE


STAINLESS STEEL		ALUMINUM	
.4K	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	SILVER	
.44	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BRONZE	
.4N	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BLACK	
.3K	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	SILVER	
.34	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BRONZE	
.3N	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BLACK	

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM


STA.002.0UT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL AISI 316L		ALUMINUM	
.4K	SATIN	SILVER	
.4M	SATIN	BRONZE	
.4N	SATIN	BLACK	
.3K	BRIGHT	SILVER	
.3M	BRIGHT	BRONZE	
.3N	BRIGHT	BLACK	

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

STA.002.0UT8 . xx



mortise

with return spring

Stainless Steel
 Aluminium



.4K




.4M



.4N

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + STA.002.0UT8 . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + STA.002.0UT8 . xx ONLY LOCK
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + STA.002.0UT8 . xx ONLY LOCK
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + STA.002.0UT8 . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + STA.002.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + STA.002.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + STA.002.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

STAINLESS STEEL		ALUMINUM	
.4K	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	SILVER	
.44	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BRONZE	
.4N	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BLACK	
.3K	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	SILVER	
.34	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BRONZE	
.3N	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BLACK	

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM


STA.003.0UT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL AISI 316L		ALUMINUM	
.4K	SATIN	SILVER	
.4M	SATIN	BRONZE	
.4N	SATIN	BLACK	
.3K	BRIGHT	SILVER	
.3M	BRIGHT	BRONZE	
.3N	BRIGHT	BLACK	

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

STA.003.0UT8 . xx



- Stainless Steel
- Aluminium



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + STA.003.0UT8 . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + STA.003.0UT8 . xx ONLY LOCK
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + STA.003.0UT8 . xx ONLY LOCK
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + STA.003.0UT8 . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + STA.003.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + STA.003.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + STA.003.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

STAINLESS STEEL		ALUMINUM	
.4K	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	SILVER	
.44	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BRONZE	
.4N	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BLACK	
.3K	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	SILVER	
.34	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BRONZE	
.3N	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BLACK	

MORTISE LOCKS: SEE MORTISE FOR SQUAD DOOR SECTION

MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM


YOD.002.xxxx.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

MATT CLEAR COATED WOOD		STAINLESS STEEL		
.46	WENGÈ	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.49	WENGÈ	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		
.47	ASH	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.50	ASH	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		
.48	MAHOGANY	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)		
.51	MAHOGANY	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)		
PVD ON SELECTED ITEMS				
.83	BLACK SATIN			

Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd.




AVAILABLE ON REQUEST AND MINIMUM ORDER

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING



BACK TO BACK FIXING


HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


YOD.002.0UT8 . xx

- mortise
- with return spring




YOD.002.00T4 . xx

- mortise
- without return spring




YOD.002.0Uxx . xx

- mortise
- without return spring




YOD.002.0Uxx . xx

- mortise
- without return spring



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + YOD.002.0xTx . xx ONLY LOCK + YOD.002.0Uxx . xx + YOD.002.0Uxx . xx
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + YOD.002.0xTx . xx ONLY LOCK + YOD.002.0Uxx . xx + YOD.002.0Uxx . xx
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + YOD.002.0xTx . xx ONLY LOCK + YOD.002.0Uxx . xx + YOD.002.0Uxx . xx
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + YOD.002.0xTx . xx ONLY LOCK + YOD.002.0Uxx . xx + YOD.002.0Uxx . xx
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + YOD.002.0xTx . xx ONLY LOCK Add thumbscrews page Levers_129 + YOD.002.0Uxx . xx Add thumbscrews page Levers_129 + YOD.002.0Uxx . xx Add thumbscrews page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + YOD.002.0xTx . xx ONLY LOCK Add thumbscrews page Levers_129 + YOD.002.0Uxx . xx Add thumbscrews page Levers_129 + YOD.002.0Uxx . xx Add thumbscrews page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + YOD.002.0xTx . xx ONLY LOCK Add thumbscrews page Levers_129 + YOD.002.0Uxx . xx Add thumbscrews page Levers_129 + YOD.002.0Uxx . xx Add thumbscrews page Levers_129

.XX = FINISH CODE

MATT CLEAR COATED WOOD
.46 WENGÉ
.49 WENGÉ
.47 ASH
.50 ASH
.48 MAHOGANY
.51 MAHOGANY

STAINLESS STEEL
SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

PVD ON REQUEST

.83 BLACK SATIN
Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145

HANDLE WITH LATCH
WOOD OR HM DOORS



ITEM BACKSET FUNCTION

YOD.002.SA70 . xx	70 mm 2 3/4"	PASSAGE	
YOD.002.SA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

YOD.002.SB70 . xx	70 mm 2 3/4"	PRIVACY	
YOD.002.SB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

YOD.002.MA70 . xx	70 mm 2 3/4"	PASSAGE WITH MAGNETIC BOLT	
YOD.002.MA60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

YOD.002.MB70 . xx	70 mm 2 3/4"	PRIVACY WITH MAGNETIC BOLT	
YOD.002.MB60 . xx	60 mm 2 3/8"		
latch included			
with return spring			

.XX = FINISH CODE

- MATT CLEAR COATED WOOD**
- .46 WENGÉ
 - .49 WENGÉ
 - .47 ASH
 - .50 ASH
 - .48 MAHOGANY
 - .51 MAHOGANY

- STAINLESS STEEL**
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 - BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 - BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
 - BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed. Screws and grub screws not pvd

HANDLE DUMMY
WOOD OR HM DOORS

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



ITEM

YOD.002.0D06 . xx	SINGLE	
YOD.002.C0D6 . xx	PAIR	
dummy		
without return spring		

YOD.002.0D05 . xx	SINGLE	
YOD.002.C0D5 . xx	PAIR	
dummy		
without return spring		



ITEM

STA.004.0UT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL AISI 316L		ALUMINUM	
.4K	SATIN	SILVER	
.4M	SATIN	BRONZE	
.4N	SATIN	BLACK	
.3K	BRIGHT	SILVER	
.3M	BRIGHT	BRONZE	
.3N	BRIGHT	BLACK	

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

STA.004.0UT8 . xx




mortise

with return spring

Stainless Steel
 Aluminium



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + STA.004.0UT8 . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + STA.004.0UT8 . xx ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + STA.004.0UT8 . xx ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + STA.004.0UT8 . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + STA.004.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + STA.004.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + STA.004.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

STAINLESS STEEL	ALUMINUM
.4K BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	SILVER
.44 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BRONZE
.4N BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BLACK
.3K SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	SILVER
.34 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BRONZE
.3N SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BLACK

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM

STA.005.0UT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL AISI 316L		ALUMINUM	
.4K	SATIN	SILVER	
.4M	SATIN	BRONZE	
.4N	SATIN	BLACK	
.3K	BRIGHT	SILVER	
.3M	BRIGHT	BRONZE	
.3N	BRIGHT	BLACK	

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

STA.005.0UT8 . xx



mortise

with return spring

Stainless Steel
 Aluminium



.4K




.4M



.4N

LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01 	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + STA.005.0UT8 . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04 	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + STA.005.0UT8 . xx ONLY LOCK
CLASSROOM ANSI F05 	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + STA.005.0UT8 . xx ONLY LOCK
STOREROOM ANSI F07 	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + STA.005.0UT8 . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13 	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + STA.005.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13 	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + STA.005.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19 	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + STA.005.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

STAINLESS STEEL		ALUMINUM	
.4K	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	SILVER	
.44	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BRONZE	
.4N	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BLACK	
.3K	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	SILVER	
.34	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BRONZE	
.3N	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BLACK	

MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145



ITEM


STA.006.0UT8.xx

MATERIALS, FINISHING AND DETAILS

.XX = FINISH CODE

STAINLESS STEEL AISI 316L		ALUMINUM	
.4K	SATIN	SILVER	
.4M	SATIN	BRONZE	
.4N	SATIN	BLACK	
.3K	BRIGHT	SILVER	
.3M	BRIGHT	BRONZE	
.3N	BRIGHT	BLACK	

Screws, grub screws and plastic parts non powder-coated.
Available on request depending on quantities.




THESE PRODUCTS CONTRIBUTE TO **LEED®** CREDITS


THE MANUFACTURER RESERVES THE RIGHT TO ALTER, IMPROVE AND DISCONTINUE ANY FEATURES OF THE PRODUCT (MAKE CHANGES AND IMPROVEMENTS IN DESIGNS AND DIMENSIONS) WITHOUT NOTICE.

ALL DIMENSIONS IN THE CATALOG DRAWINGS ARE APPROXIMATIONS. REQUEST THE APPROPRIATE TECHNICAL DRAWING BEFORE DOOR PREPARATION AND INSTALLATION.

FIXING:



SINGLE SIDE FIXING




BACK TO BACK FIXING

HANDLE FOR MORTISE
WOOD OR HM DOORS



ITEM THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS


STA.006.0UT8 . xx



- Stainless Steel
- Aluminium



LOCK
WOOD OR HM DOORS



FUNCTION	BACKSET	HOW TO ORDER
PASSAGE ANSI F01	2 1/2" 2 3/4"	2MM.LCK.0A00 . xx + STA.006.0UT8 . xx ONLY LOCK
OFFICE/CORRIDOR ANSI F04	2 1/2" 2 3/4"	2MM.LCK.0F00 . xx + STA.006.0UT8 . xx ONLY LOCK
CLASSROOM ANSI F05	2 1/2" 2 3/4"	2MM.LCK.0G00 . xx + STA.006.0UT8 . xx ONLY LOCK
STOREROOM ANSI F07	2 1/2" 2 3/4"	2MM.LCK.0P00 . xx + STA.006.0UT8 . xx ONLY LOCK
OFFICE/ENTRY ANSI F04 + F13	2 1/2" 2 3/4"	2MM.LCK.0I00 . xx + STA.006.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
DORMITORY ANSI F13	2 1/2" 2 3/4"	2MM.LCK.0E00 . xx + STA.006.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129
PRIVACY ANSI F19	2 1/2" 2 3/4"	2MM.LCK.0M00 . xx + STA.006.0UT8 . xx ONLY LOCK Add thumbturns page Levers_129

.XX = FINISH CODE

STAINLESS STEEL		ALUMINUM	
.4K	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	SILVER	
.44	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BRONZE	
.4N	BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)	BLACK	
.3K	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	SILVER	
.34	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BRONZE	
.3N	SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)	BLACK	



MORTISE LOCKS: SEE TECHNICAL INFORMATION FOR SOLID DOOR SECTION
MORTISE CYLINDERS NOT INCLUDED see page Levers_143
FOR COMPATIBLE MODELS

STANDARD FACEPLATE AND STRIKEPLATE SATIN STAINLESS STEEL.

SPINDLE DEPTH, LEVERS POSITION ON THE LOCKSET AND FIXING
(SINGLE OR BACK TO BACK) MUST BE SPECIFIED ORDERING - see page Levers_145


THUMBTURNS






HANDLE NOT INCLUDED


ITEM WITH LATCH	Ø	BACKSET	FUNCTION
2MM.035.0L70. xx	62 mm 2 7/16"	70 mm 2 3/4"	KEY RING / THUMB-TURN
2MM.035.0L60. xx	62 mm 2 7/16"	60 mm 2 3/8"	



* 2MM.035.0H70. xx	62 mm 2 7/16"	70 mm 2 3/4"	PRIVACY INDICATOR WITH EMERGENCY COIN RELEASE / THUMB-TURN
* 2MM.035.0H60. xx	62 mm 2 7/16"	60 mm 2 3/8"	



2MM.035.0B70. xx	62 mm 2 7/16"	70 mm 2 3/4"	THUMB-TURN
2MM.035.0B60. xx	62 mm 2 7/16"	60 mm 2 3/8"	



.XX = FINISH CODE

- STAINLESS STEEL**
 .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)




- PVD ON REQUEST**
 .83 BLACK SATIN
 Colors on demand, minimum lot to be agreed.
 Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
 .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 .26 BLACK RAL 9005 GLOSSY
 .31 WHITE RAL 9010
 .32 GREY
 .38 CHAMPAGNE
 .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 .36 ARCHITECTURAL BRONZE
 .56 MEDIUM BRONZE
 .41 SILVER
 .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
 (screws, grub screws and plastic parts non powder-coated)
 available on request depending on quantities

- * **PRIVACY INDICATOR WITH EMERGENCY COIN RELEASE**

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



HANDLE NOT INCLUDED

ITEM WITH LATCH



BACKSET

FUNCTION

2MM.037.0L70. xx

62 mm
2 7/16"


70 mm
2 3/4"

KEY RING / THUMB-TURN

2MM.037.0L60. xx

62 mm
2 7/16"

60 mm
2 3/8"



* 2MM.037.0H70. xx

62 mm
2 7/16"


70 mm
2 3/4"

PRIVACY INDICATOR WITH
EMERGENCY COIN RELEASE /
THUMB-TURN

* 2MM.037.0H60. xx

62 mm
2 7/16"

60 mm
2 3/8"



2MM.037.0B70. xx

62 mm
2 7/16"


70 mm
2 3/4"

THUMB-TURN

2MM.037.0B60. xx

62 mm
2 7/16"

60 mm
2 3/8"



.XX = FINISH CODE

STAINLESS STEEL

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST


- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

* PRIVACY INDICATOR WITH EMERGENCY COIN RELEASE


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THUMBTURNS FOR MORTISE
WOOD OR HM DOORS




ITEM



2MM.035.0UT4 . xx



2MM.035.0050 . xx



LOCK
WOOD OR HM DOORS



HANDLE
NOT
INCLUDED

FUNCTION


BACKSET

HOW TO ORDER

PRIVACY
ANSI F19

2 1/2"
2 3/4"


2MM.LCK.0M00 . xx
+ 2MM.035.0UT4 . xx



OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"


2MM.LCK.0100 . xx
+ 2MM.035.0050 . xx



DORMITORY
ANSI F13

2 1/2"
2 3/4"

2MM.LCK.0E00 . xx
+ 2MM.035.0050 . xx



.XX = FINISH CODE

STAINLESS STEEL

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd

STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

AVAILABLE LOCKS
page Levers_140


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS

THUMBTURNS FOR MORTISE
WOOD OR HM DOORS




ITEM

2MM.035.0U08 . xx



ITEM

2MM.35S.0U08 . xx




.XX = FINISH CODE

- STAINLESS STEEL**
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 - .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- PVD ON REQUEST**
- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd

- STAINLESS STEEL POWDER-COATED ON REQUEST**
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
 - .26 BLACK RAL 9005 GLOSSY
 - .31 WHITE RAL 9010
 - .32 GREY
 - .38 CHAMPAGNE
 - .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
 - .36 ARCHITECTURAL BRONZE
 - .56 MEDIUM BRONZE
 - .41 SILVER
 - .55 GOLD

LOCK
WOOD OR HM DOORS




HANDLE
NOT
INCLUDED

FUNCTION

BACKSET


HOW TO ORDER



2 1/2"
2 3/4"


2MM.LCK.0M00 . xx
+ 2MM.035.0U08 . xx

THUMBTURNS FOR MORTISE
WOOD OR HM DOORS




ITEM

2MU.033.0UT4 .4R



2MU.033.0050 .4R




- Stainless Steel
- Satin Copper

FINISH CODE

- COPPER**
- .4R SATIN COPPER
- STAINLESS STEEL**
- SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

US MORTISE LOCKS
WOOD OR HM DOORS

ANTIMICROBIAL
COPPER



HANDLE
NOT
INCLUDED

FUNCTION


BACKSET

HOW TO ORDER

PRIVACY
ANSI F19

2 1/2"
2 3/4"


2MM.LCK.0M00 . xx
+ 2MU.033.0UT4 .4R



OFFICE/ENTRY
ANSI F04 + F13

2 1/2"
2 3/4"


2MM.LCK.0100 . xx
+ 2MU.033.0050 .4R




DORMITORY
ANSI F13

2 1/2"
2 3/4"


2MM.LCK.0E00 . xx
+ 2MU.033.0050 .4R









ITEM	Ø	A
☒ 2MM.090.000F . xx	65 2 9/16"	78 3 1/16"
2MM.091.000F . xx	50 1 31/32"	63 2 1/2"



ITEM	Ø	A
☒ 2MM.090.000G . xx	65 2 9/16"	85 3 11/32"
☒ 2MM.091.000G . xx	50 1 31/32"	70 2 3/4"



ITEM	Ø
☒ 2MM.092.000F . xx	50 1 31/32"



ITEM	Ø
☒ 2MM.092.000G	50 1 31/32"

.XX = FINISH CODE

STAINLESS STEEL

- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST

- .83 BLACK SATIN
- Colors on demand, minimum lot to be agreed.
- Screws and grub screws not pvd


STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS





ITEM	A
XX 2MM.094.000F . xx	50 1 31/32"

.XX = FINISH CODE

- STAINLESS STEEL**
 .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
 .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)

PVD ON REQUEST
 .83 BLACK SATIN
 Colors on demand, minimum lot to be agreed.
 Screws and grub screws not pvd


STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD

.99 COLORS ON REQUEST TO MATCH ANY RAL #
 (screws, grub screws and plastic parts non powder-coated)
 available on request depending on quantities


THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS






ITEM

0IT.001.00SC . xx




ITEM

0IT.001.0SCP . xx



ITEM

○ 2MM.301.0000 . xx



ITEM

○ 2MM.302.0000 . xx

.XX = FINISH CODE

- .43 STAINLESS STEEL
- .44 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- PVD ON REQUEST
- .83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd
- POWDER-COATED FINISH NOT AVAILABLE


STAINLESS STEEL POWDER-COATED ON REQUEST

- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD


- .99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS






ITEM	Ø	B	C
○ 2MM.305.0000 . xx	46 1 13/16"	30,5 1 3/16"	34 1 11/32"
○ 2MM.306.0000 . xx	60 2 23/64"	42,5 1 43/64"	48 1 57/64"



ITEM
2MM.201.0000 . xx



ITEM
○ 2MM.211.0000 . xx
○ 2MM.212.0000 . xx
○ 2MM.213.0000 . xx
○ 2MM.214.0000 . xx
○ 2MM.215.0000 . xx

.XX = FINISH CODE

- STAINLESS STEEL
- .43 BRIGHT STAINLESS STEEL (ANSI/BHMA 629 - USD32)
- .44 SATIN STAINLESS STEEL (ANSI/BHMA 630 - USD32D)
- PVD ON REQUEST
- .83 BLACK SATIN
Colors on demand, minimum lot to be agreed.
Screws and grub screws not pvd
- POWDER-COATED FINISH NOT AVAILABLE

- STAINLESS STEEL POWDER-COATED ON REQUEST
- .40 BLACK RAL 9005 MAT - TO MATCH WITH PBA BLACK ALUMINUM
- .26 BLACK RAL 9005 GLOSSY
- .31 WHITE RAL 9010
- .32 GREY
- .38 CHAMPAGNE
- .39 BRONZE - TO MATCH WITH PBA BRONZE ALUMINUM
- .36 ARCHITECTURAL BRONZE
- .56 MEDIUM BRONZE
- .41 SILVER
- .55 GOLD








.99 COLORS ON REQUEST TO MATCH ANY RAL #
(screws, grub screws and plastic parts non powder-coated)
available on request depending on quantities

THESE PRODUCTS CONTRIBUTE TO LEED® CREDITS



TECHNICAL INFORMATION

MORTISE LOCKS for WOOD OR METAL DOORS

ANSI CODE - FUNCTION PBA CODE*	<div style="display: flex; justify-content: space-around; align-items: center;"> OUTSIDE INSIDE </div>	OPERATION
<p>F01 - PASSAGE 2MM.LCK.0A00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE AT ALL TIMES</p>
<p>F04 - OFFICE / CORRIDOR 2MM.LCK.0F00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE, EXCEPT WHEN OUTSIDE LEVER IS LOCKED BY STOP BUTTONS. UNLOCK BY KEY OUTSIDE OR LEVER INSIDE.</p>
<p>F04 + F13 - OFFICE / ENTRY 2MM.LCK.0I00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE, EXCEPT WHEN OUTSIDE LEVER IS LOCKED BY KEY OR THUMBTURN FROM INSIDE. UNLOCK BY KEY OUTSIDE OR THUMBTURN / LEVER FROM INSIDE.</p>
<p>F05 - CLASSROOM 2MM.LCK.0G00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE, EXCEPT WHEN OUTSIDE LEVER IS LOCKED BY OUTSIDE KEY. UNLOCK BY KEY OUTSIDE OR LEVER INSIDE.</p>
<p>F07 - STOREROOM 2MM.LCK.0P00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY KEY OUTSIDE OR BY OPERATING LEVER INSIDE. OUTSIDE LEVER IS ALWAYS INOPERATIVE.</p>
<p>F13 - DORMITORY 2MM.LCK.0E00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE, EXCEPT WHEN OUTSIDE LEVER IS LOCKED BY KEY OR THUMBTURN FROM INSIDE AND THE DEADBOLT IS PROJECTED. UNLOCK BY KEY OUTSIDE OR THUMBTURN OR LEVER FROM INSIDE WHICH RETRACT BOTH BOLTS SIMULTANEOUSLY.</p>
<p>F19 - PRIVACY 2MM.LCK.0M00.00 - backset 2 1/2" **</p>	 <p style="text-align: center;">SECURITY EGRESS</p>	<p>LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE, EXCEPT WHEN OUTSIDE LEVER IS LOCKED BY INSIDE THUMBTURN AND THE DEADBOLT IS PROJECTED. UNLOCK BY KEY OUTSIDE OR LEVER FROM INSIDE WHICH RETRACT BOTH BOLTS SIMULTANEOUSLY.</p>



STAINLESS STEEL FACEPLATE INCLUDED



STAINLESS STEEL STRIKE PLATE INCLUDED

* Lever handles, thumbturns and cylinders not included ** Backset 2 3/4" available on request

MORTISE LOCK


PBA 2MM.LCK SERIES MORTISE LOCKS FOR SOLID DOORS ARE ENGINEERED FOR DURABILITY AND OPTIMUM SECURITY. ALL LOCK CASES ARE CONSTRUCTED WITH QUALITY METAL WORKING PARTS, ENSURING THE LONG LASTING AND TROUBLE FREE OPERATION.

GRADE 1 ACCORDINGLY TO ANSI/BHMA 156.13 - 2005 AND UL – ULC LISTED THE 2MM.LCK MORTISE LOCKS CAN BE SPECIFIED FOR APPLICATION IN RESIDENTIAL, OFFICES, HOTELS, SCHOOLS AND COMMERCIAL BUILDINGS


AVAILABLE IN SEVEN DIFFERENT FUNCTIONS AND WITH TWO BACKSET (2 ½" AND 2 ¾") THE 2MM.LCK MORTISE LOCKS ARE EQUIPPED WITH A MECHANICAL ANTI-FRICTION LATCH BOLT AND A FULL 1" THROW DEADBOLT WITH TWO HARDENED STEEL ROLLERS FOR MAXIMUM SECURITY.

THE EXPOSED PARTS (DEADBOLT, LATCH BOLT, AUXILIARY LATCH AND BUTTONS) ARE IN FORGED BRASS AND FINISHED TO MATCH THE APPEARANCE OF THE STAINLESS STEEL FACEPLATE.

THE FIELD-REVERSIBLE DESIGN ALLOWS TO SWITCH HANDING ON SITE, WITHOUT OPENING THE LOCK CASE. 2MM.LCK MORTISE LOCKS FEATURE AN INDEPENDENT LEVER ROTATION.



AVAILABLE FORMATS:



PBA MORTISE LOCKS CAN WORK WITH EVERY BRAND OR MODEL OF MORTISE CYLINDERS WITH THE FOLLOWING CAMS INSTALLED:



MORTISE CONVENTIONAL CYLINDER


CIL.MOR.0001.00
MORTISE CONVENTIONAL CYLINDER BATON L=15/16" WITH YA CAM



OTHER BRANDS AVAILABLE ON REQUEST:
ARROW - CORBIN RUSSWIN - KABA - ILCO - MEDECO - SCHLAGE - SARGENT - YALE


MORTISE HOUSING FOR IC

AVAILABLE ON REQUEST MORTISE HOUSINGS FOR SFIC - LFIC / FSIC OF THE FOLLOWING BRANDS:
ARROW - CORBIN RUSSWIN - KABA - ILCO - MEDECO - SCHLAGE - SARGENT - YALE




CORE FOR SFIC HOUSING AND LFIC / FSIC HOUSING

AVAILABLE ON REQUEST SFIC - LFIC / FSIC CORES OF THE FOLLOWING BRANDS:
ARROW - CORBIN RUSSWIN - KABA - ILCO - MEDECO - SCHLAGE - SARGENT - YALE




DIGITAL MORTISE CYLINDER WITH CARD AVAILABLE ON REQUEST


SUGGESTED BRAND:
SALTO Neo
SALTO Geo




SPECIAL APPLICATION WITH KEY SYSTEM ON REQUEST



SINGLE CYLINDER INSTALLATION




DOUBLE CYLINDERS INSTALLATION




COMPATIBILITY WITH LOCKS

2MM.LCK - US MORTISE LOCK

BTB FIXING
METRIC SCREWS + BUSHING




SINGLE FIXING
WOOD SCREWS




EUROPEAN MORTISE LOCK *

BTB FIXING
METRIC SCREWS + BUSHING





SINGLE FIXING
WOOD SCREWS




* horizontal fixing holes

BTB FIXING
METRIC SCREWS + BUSHING





AVAILABLE TRIMS





00T8 - ROUND ROSE 8 MM THICK WITH RETURN SPRING

SUITABLE FOR :
 SINGLE SIDE FIXING (SELF TAPPING SCREWS FOR WOOD DOOR)
 BACK TO BACK FIXING FOR LOCKSET WITH 38 mm (1-1/2")
 CTC HORIZONTAL HOLES OR 45° INCLINED HOLES





00T4 - ROUND ROSE 4 MM THICK WITHOUT RETURN SPRING (IT ROTATES FREELY)

SUITABLE FOR :
 SINGLE SIDE FIXING (SELF TAPPING SCREWS FOR WOOD DOOR)
 BACK TO BACK FIXING FOR LOCKSET WITH 38 mm (1-1/2")
 CTC HOLES (NO MATTER IF HORIZONTAL OR INCLINED)





00T8 - ROUND ROSE 8 MM THICK WITH BLOK AND ROLL SYSTEM AND RETURN SPRING

SUITABLE FOR :
 SINGLE SIDE FIXING (SELF TAPPING SCREWS FOR WOOD DOOR)
 BACK TO BACK FIXING FOR LOCKSET WITH 38 mm (1-1/2")
 CTC HORIZONTAL HOLES




0008 - OVAL ROSE 8 MM THICK WITH RETURN SPRING

SUITABLE FOR :
 SINGLE SIDE FIXING (SELF TAPPING SCREWS FOR WOOD DOOR)
 BACK TO BACK FIXING FOR LOCKSET WITH 50 mm (1-31/32")
 CTC VERTICAL HOLES




0004 - OVAL ROSE 4 MM THICK WITHOUT RETURN SPRING (IT ROTATES FREELY)

SUITABLE FOR :
 SINGLE SIDE FIXING (SELF TAPPING SCREWS FOR WOOD DOOR)
 BACK TO BACK FIXING FOR LOCKSET WITH 50 mm (1-31/32")
 CTC VERTICAL HOLES



HANDLE FOR MORTISE WITH RETURN SPRING



RETURN SPRING

The return spring brings back the lever handle in horizontal position after use

MOLLA DI RITORNO

La molla di ritorno riporta la leva in posizione orizzontale dopo l'utilizzo

FIXING OPTIONS

SINGLE SIDE FIXING



BACK TO BACK FIXING



SPINDLE OPTIONS


SWIVEL SPINDLE



SOLID SPINDLE



MORTISE LOCKS



TITLE 24 COMPLIANT LEVERSET - CALIFORNIA FIRE CODE SECTION 12-10-202

Levers. The lever of lever-actuated levers or locks shall be curved with a return to within 1/2" of the face of the door to prevent catching on the clothing of persons during egress.



TITLE 24 COMPLIANCE FOR PBA PRODUCTS

SOLID DOORS (WOOD or METAL):


- 2MM.28B.00T4.xx
- 2MM.30B.00T4.xx
- 2MM.28U.0UT8.xx
- 2MM.30B.0UT8.xx

FRAMELESS GLASS DOOR WITH HGU LOCK :

- 2MM.28U.HGT4.xx
- 2MM.30B.HGT4.xx
- 2MM.28U.HGT8.xx.1(.2)
- 2MM.30U.HGT8.xx.1(.2)


FRAMELESS GLASS DOOR WITH HGL LOCK :

- 2MM.28B.HGT8.xx.1(.2)
- 2MM.30B.HGT8.xx.1(.2)



*SOLID DOOR TYPICAL INSTALLATION SHOWN




HANDLE ON PLATE WITHOUT RETURN SPRING FOR MORTISE LOCKS



PLATES

Plates: rectangular-square with or without ball-bearings in stainless steel AISI 316L, thickness 2 mm. The ball-bearings is connected to the plate.

LATCH


ANSI CODE - FUNCTION	ILLUSTRATION INSIDE OUTSIDE	OPERATION
F75 - PASSAGE		LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE AT ALL TIMES
F76A - BATHROOM		LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE, EXCEPT WHEN OUTSIDE LEVER IS LOCKED BY PUSHING INSIDE BUTTON. EMERGENCY RELEASE THROUGH CLEARANCE HOLE ON THE OUTSIDE
DUMMY		BOTH LEVERS ALWAYS INOPERATIVE. NO TUBULAR LATCH INSIDE THE DOOR

SINGLE DEADBOLT LOCK



Backset 2 - 3/4" *
- key - thumbturn

ITEM
2MM.LCK.0H00. xx


* Other backset available



DOOR PREPARATION AND THICKNESS (ANSI/BHMA A156.115-W-2006)
DOOR THICKNESS : 35 - 45 mm (1 3/8" - 1 3/4")



A	B	C	D	Ø¹	Ø²
41,5 mm 1 5/8"	57,5 mm 2 1/4"	4 mm 5/32"	≥ 35 mm 1 3/8" ≤ 45 mm 1 3/4"	54 mm 2 1/8"	25,4 mm 1"



ROSES



Round roses with a return spring. Inner rose in metal alloy and rose cover in stainless steel AISI 316L. Fixing system patent Block&Roll.




Ø 62mm
2 7/16"




INSTALLATION - INSTALLAZIONE




1
- Bores' preparation as per standard ANSI/BHMA A 156.115-W-2006



3
- Insert hold pins (A) in their seats (B), then turn until the lock pin (C) clicks in its seat (D).




2
- Install the latch and the center supports and fix them with screws.



4
- Fix the levers (F) tightening the grub screws into their seats (E). Cover with

DUMMY



ROSES

Fixed round roses without a return spring. Inner rose in metal alloy and rose cover in stainless steel AISI 316L. Fixing system patent Block&Roll.

Ø 62mm
2 7/16"

dummy