

pba

M A D E
I N I T A L Y



INTEGRATED
DOOR PULLS

La colección Integrated Door Pull de pba incluye tres modelos únicos que cumplen con los estàndares ADA actuales, dado que todos se pueden manejar con una sola mano sin apretar, pellizcar ni torcer la muñeca. Una nueva alternativa a los manillones voluminosos y a las manillas fijas que tan a menudo se especifican para proyectos de interiores comerciales, nuestros manillones integrados ofrecen una soluciòn maravillosamente minimalista que es inclusiva pero elegante. Diseñados en colaboraciòn con Gensler, en calidad de Product Design Consultant, se realizan a mano en acero inoxidable AISI 316L y son disponibles en acabado satinado o barnizado con recubrimiento en polvo en cinco colores diferentes.




LEED®

Declare.


Design 1

INTEGRATED DOOR PULLS




PUERTA DE HOJA SIMPLE

PUERTA DE HOJAS DOBLES



Nota:
El tamaño del espacio necesario entre los paneles de la puerta debería determinarse según el grueso de la puerta, el perfil de la puerta desde el lado de la apertura y el tipo de bisagras y dónde se sitúan.



Design 1

ART. A D (GRUESO DE LA PUERTA)

GBD.D01.0001 .xx 72,85 mm 44,45 mm
2 7/8" 1 3/4"

GBD.D01.0002 .xx 85,55 mm 57,15 mm
3 3/8" 2 1/4"

ACABADOS .XX

ACERO INOXIDABLE



Mate
.44

ACERO INOXIDABLE PINTADO



Blanco
.31



Champagne
.38



Bronce
.39



Gris
.32



Negro
.40

Juego de fijación para puerta de madera incluido:
fijación de acero inoxidable para acabados Satinado Mate, Blanco y Champán; fijación en negro para acabados Bronce, Gris y Negro.



LEED®

Declare.

Design 2


INTEGRATED DOOR PULLS



PUERTA DE HOJA SIMPLE



PUERTA DE HOJAS DOBLES



Design 2

ART.

D (GRUESO DE LA PUERTA)

GBD.D02.0001 .xx 44,45 mm
1 3/4"

GBD.D02.0002 .xx 57,15 mm
2 1/4"

ACABADOS .XX

ACERO INOXIDABLE



Mate
.44

ACERO INOXIDABLE PINTADO



Blanco
.31



Champagne
.38




Bronce
.39



Gris
.32



Negro
.40



Juego de fijación para puerta de madera incluido:

fijación de acero inoxidable para acabados Satinado Mate, Blanco y Champán; fijación en negro para acabados Bronce, Gris y Negro.



LEED®
Declare.

Design 3


INTEGRATED DOOR PULLS



PUERTA DE HOJA SIMPLE



PUERTA DE HOJAS DOBLES




Design 3

ART. D (GRUESO DE LA PUERTA)

GBD.D03.0001 .xx 44,45 mm
1 3/4"

GBD.D03.0002 .xx 57,15 mm
2 1/4"

TRABAJO DE PUERTA RECOMENDADO



ACABADOS .XX

ACERO INOXIDABLE



Mate
.44

ACERO INOXIDABLE PINTADO



Blanco
.31



Champagne
.38



Bronce
.39



Gris
.32




Negro
.40


Juego de fijación para puerta de madera incluido:

fijación de acero inoxidable para acabados Satinado Mate, Blanco y Champán; fijación en negro para acabados Bronce, Gris y Negro.


JUEGO DE FIJACIÓN INCLUIDO (SÓLO PARA PUERTA DE MADERA)



GBD.D01.0001
GBD.D01.0002



GBD.D02.0001
GBD.D02.0002



GBD.D03.0001
GBD.D03.0002

Chemical composition of AISI stainless steel grades

<i>Material - Stainless steel</i>	<i>C%</i>	<i>Cr%</i>	<i>Ni%</i>	<i>Mo%</i>
AISI 430 (1.4016)	0,12 max	14.0-18.0	/	/
AISI 304 (1.4301)	0,08 max	18.0-20.0	8.0-10.5	/
AISI 316 (1.4401)	0,08 max	16.0-18.0	10.0-14.0	2.00-3.00
AISI 316L (1.4404)*	0,03 max	16.0-18.0	10.0-14.0	2.00-3.00

*Standard pba

Estimated pit corrosion time – time to penetrate 1 mm (years) by steel type

<i>Location - Stainless Steel</i>	<i>Marine</i>	<i>Semi-industrial</i>	<i>Rural</i>
Stainless steel AISI 430 (1.4016)	N/A	85	250
Stainless steel AISI 304 (1.4301)	145	135	770
Stainless steel AISI 316 (1.4401)	260	525	1200

Source: *The British Stainless Steel Association [BSSA]*

El acero inoxidable AISI 316L es una aleación austenítica. Se distingue de otros aceros inoxidables por el alto porcentaje de molibdeno que le confiere una resistencia especial a la corrosión por picadura y la corrosión por tensión. En este tipo de acero inoxidable se aumenta la presencia de níquel para garantizar la estabilidad. Además, la "L" en la definición indica bajas emisiones de carbono y, de hecho, la cantidad es menor o igual al 0,03%. Esta característica prolonga el tiempo de precipitación de los carburos de cromo y evita el riesgo de corrosión intergranular durante el proceso de soldadura.

LOS PRODUCTOS PBA CONTRIBUYEN EN LOS PRE-REQUISITOS Y EN LOS CRÉDITOS LEED

LEED® (Leadership in Energy Environmental Design) es un sistema de certificación de base voluntaria para la gestión, el diseño y la construcción de edificios sostenibles desde el punto de vista social, medioambiental, económico y del bienestar para los usuarios. Creado en los Estados Unidos en 1993, por obra de U.S. Green Building Council (USGBC), LEED es en la actualidad, el estándar para la certificación de sostenibilidad de los edificios, más difundido en el mundo. Considera todos los ámbitos que intervienen en el diseño y la gestión de edificios o barrios, tanto comerciales como residenciales, nuevos o en recalificación.

DECLARE LABEL



La Colección Integrated Door Pull ofrece la Declare Red List Free. La etiqueta Declare es una etiqueta ilustrativa, explicativa y clara, que reúne todos los "ingredientes" como si de una etiqueta de un producto alimentario se tratase, pero para productos de construcción. Declare es una distinción otorgada por el International Living Future Institute (ILFI), que consiste en una etiqueta de "ingredientes" para productos de la construcción. La etiqueta Declare contiene los siguientes datos: dónde se ensambla el producto; la esperanza de vida y el porcentaje de opciones de fin de vida (reciclable, vertedero); materia prima y lugares de ensamblaje final, todos los "ingredientes" del producto codificados por colores para designar los riesgos de contaminación potenciales. La etiqueta Declare Red list Free certifica que en la composición de los productos no se encuentran componentes incluidos en la Lista Roja de ILFI y que son considerados peligrosos o nocivos en la construcción.

ADA

Los modelos de esta colección han sido diseñados para cumplir con la ley para estadounidenses con discapacidades, ADA, y otros requisitos de accesibilidad. Sin embargo la interpretación final de cumplimiento con los requisitos de accesibilidad es responsabilidad del especificador y debe ser determinada con relación a las exigencias de proyecto y las normas locales.

NOTAS PARA EL MONTAJE

Se recomiendan superficies de madera dura o tablero de fibra de densidad media (MDF). Materiales de menor calidad, como tableros de partículas, pueden comprometer la resistencia de la fijación. El tamaño del espacio necesario entre los paneles de la puerta debería determinarse según el grueso de la puerta, el perfil de la puerta desde el lado de la apertura y el tipo de bisagras y dónde se sitúan.

LIMPIEZA



GENERAL CONDITIONS OF SALE

1. AGREEMENT

1.1 The supply of the products shown in this price list ("Products") of PBA SpA ("PBA") shall be governed by these general conditions of sale ("General Conditions"). These General Conditions shall apply also to the sale of spare parts, when possible.

1.2 The sale agreement of the Products ("Agreement") is entered into force among the parties upon the Client's receipt of PBA's order confirmation.

These General Conditions shall be deemed as an integral and essential part of any Agreement.

1.3 These General Conditions shall be executed by the Client and attached to the first purchase order sent to PBA, it being agreed that they shall accordingly apply to any following Agreement.

1.4 These General Conditions shall be deemed as tacitly accepted by the Client for any supply of Products, unless expressly rejected in writing by the Client by means of notice thereof to be sent to PBA at the latest within 5 (five) days as of the date of receipt of PBA's confirmation of the first purchase order sent by the Client.

Should the Client expressly reject one or more of these General Conditions within the above term, PBA shall be free to withdraw from the relevant Agreement by means of written communication thereof and without any further obligation.

1.5 In no event shall any general conditions of any nature, inserted and/or specified in the Client's order forms and/or in other documents sent to PBA by the Client, and/or of which the latter was made aware in any manner whatsoever, apply to any Agreement and/or to any supply of Products.

Any special term and/or condition of supply suggested by the Client shall apply to the Agreement only if expressly contained in PBA's order confirmation.

Any change and/or a amendment to these General Conditions shall be binding and valid only if accepted in writing by both parties.

2. PLACE AND TERMS OF DELIVERY OF THE PRODUCTS

2.1 The choice of an Incoterm does not affect the location of the place of delivery of the Products which, in any case, shall be deemed as delivered to the Client at the place and in the moment in which they are put at disposal of the haulier, for the relevant transport, at PBA's premises in Tezze sul Brenta (VI), Italy.

In any case, unless otherwise agreed in writing by the parties, PBA shall never be liable for delays accrued during the transportation.

2.2 The terms of delivery of the Products (i) are approximate and roughly set forth and (ii) in no case shall they be construed as of essence.

2.3 In case of delay in the delivery of the Products at PBA's premises, caused by a fortuitous event, force majeure or other causes not depending on PBA's willful misconduct and/or gross negligence, the Client shall not be entitled to claim any compensation for damages, nor to ask for the termination of the Agreement and/or for the reduction of the price of the Products.

3. INCOTERMS

Unless otherwise agreed in writing, the Products and the relevant prices are to be considered with delivery Ex-works (EXW - Incoterms 2000), PBA's premises in Tezze sul Brenta (VI), Italy or at the different place indicated by PBA in the notice Products ready for delivery.

4. ORDERS – NON STANDARD AND/OR MADE TO MEASURE PRODUCTS

4.1 The purchase orders shall be made in writing and completed with all the data required for the relevant design and manufacture.

4.2 When already approved by the Client for the supply of catalogue Products, it is agreed that these General Conditions shall also apply to the sale orders related to non standard Products, Products out of catalog and/or to be made to measure, if confirmed by PBA.

4.3 Any delay of the Client in the transmission of data, measures and/or technical specifications of the Products subject matter of the Agreement may cause a proportional postponement of the delivery terms, to be newly determined by PBA on the basis of its industrial needs.

5. PRICES AND PAYMENTS

5.1 The prices of the Products indicated in this price list are merely indicative and can be modified at any time by PBA.
The actual price of the Products is specified in PBA's order confirmation and, unless otherwise specified, it is deemed as net of VAT.

Any change and/or modification of the Products, agreed by the parties after the transmission of PBA's order confirmation, shall cause the adjustment of the relevant price due to any increase of the costs of production and/or of the raw materials, as agreed from time to time by the parties.

5.2 The price of the Products shall be paid by the Client as per the terms and ways specified in PBA's order confirmation, or otherwise agreed by the parties.

Any late collection or non collection of the Products shall not cause an extension and/or postponement of the terms of payment.

5.3 PBA shall be entitled to suspend the delivery of the Products should: (a) the Client's assets and/or financial standing endanger the relevant payment; (b) the Client fail to timely pay Products previously supplied by PBA, also on the basis of other Agreements, until full payment of the outstanding credit and/or until receipt of proper guarantees of the Client for any delivery in progress, without prejudice to PBA's right to claim for any damages suffered as a consequence thereof.

5.4 In any case shall the Client be entitled to return the Products, even when expressly acknowledged as such by PBA, and/or any delay of delivery as to the agreed terms give the Client the right to suspend the relevant payments and/or any other payment for whichever reason due to PBA also under other contractual relationships.

5.5 In case of late payments, PBA shall be entitled to charge interests on the unpaid amount at the rate provided by the law.

5.6 In no case shall the Client be entitled to set off any amount due to PBA in force of any Agreement against any amount due by PBA at any title whatsoever.

6. RETENTION OF TITLE

PBA shall be the sole owner of the Products until the date of their full payment.

Should the Agreement be terminated due to the Client's breach of contract, any Client's advance payment shall be kept by PBA as an indemnity within the limits set forth by the law, without prejudice to the latter's right to claim for further damages.

7. WARRANTY

7.1 PBA guarantees that the Products will be free from vices and defects in materials and workmanship for a period of 24 (twenty-four) months as of the date of the relevant delivery ("Warranty Period").

7.2 Should the complaints raised by the Client within the Warranty Period with reference to the Products be groundless and accepted by PBA, the latter shall, at its exclusive discretion, repair and/or replace the defective Product/s or the defective component/s of the same, with delivery Ex-works (EXW Incoterms 2000) PBA's premises in Tezze sul Brenta (VI), Italy.

The warranty obligations herewith undertaken shall be effective and binding only provided that PBA has the opportunity to verify the vices and/or defects raised by the Client.

PBA's warranty obligation shall be deemed as entirely fulfilled with the removal of the vice and/or defect raised by the Client, or with the replacement of the defective Product and/or component, without any further obligations.

Unless otherwise agreed in writing by the parties, all the expenses for returning to PBA the defective Products and/or components, as well as all the additional expenses related to the operations related to the return shall be borne by the Client and shall be at the Client's risk.

7.3 Subject to the terms of warranty, the Client shall return in writing, by registered letter return receipt requested, any vices and/or defects found within and not later than 8 (eight) days as of the date of the actual delivery of the Products, or, in case of hidden vices or defects, within and not later than 8 (eight) days as of the date of the relevant discovery.

7.4 The warranty is expressly excluded for vices and/or defects of the Products arising from or consisting in:

- (i) any repair, alteration and/or modification not authorized in writing by PBA;
- (ii) normal wear and tear of the materials or of single components;
- (iii) improper use and/or application of the Products;
- (iv) defects and/or mistakes in the measures and/or technical specifications supplied by the Client;
- (v) deposit, maintenance and/or cleaning not in compliance with PBA's instructions;
- (vi) installation not in compliance with PBA's instructions and/or carried out with non suitable materials;
- (vii) any other event for which PBA is not directly liable.

Should the Client fail to regularly pay the agreed price, even if such default or such delay concerns a single part of the aggregate price of the Products, the warranty shall not apply.

7.5 Without prejudice to the compulsory product's liability law and any liability for willful misconduct and/or gross negligence, PBA shall not be liable for direct, indirect or incidental damages caused to the Client and and/or to third parties as a consequence of the defects of the Products. The Client shall not be entitled to terminate the Agreement in case of vices and/or defects of the Products. Any claim arising from this warranty, should PBA timely comply with the relevant obligations.

7.6 The Products made of wood, pvc, rubber, rolled sections and/or of other natural materials shall be of a quality equal, within the limits of a reasonable similarity, to the relevant samples examined by the Client before the execution of the Agreement.

In no case shall therefore the samples of the Products examined by the Client be qualified as the exclusive standard for the exterior appearance of the Products.

Without prejudice to the warranty regulated by this clause 7, any chromatic and/or aesthetic difference (variation of the wood, intensity of the colour shades, etc.) of the delivered Products compared to the characteristics of the relevant samples examined by the Client, shall not entitle the latter to terminate the Agreement and/or to ask for the replacement of the Products or for the reduction of the price.

7.7 In no event shall the chromatic differences between Products of the same type and/or colour, delivered with different lots and/or in different moments, be qualified as vices and/or defects of the Products, nor shall the Client be entitled to claim their replacement and/or the reduction of the relevant price as a consequence thereof.

8. MISPRINTS AND PRINTING ERRORS

We are not responsible for any missprint or printing error in catalogs or price lists. All images and sizes are not binding. Modifications are reserved. Design modifications are reserved to technically enhance products

9. EXCLUSIVE COURT

All disputes arising out of or relating to these General Conditions, any Agreement and/or to the supply of Products shall be exclusively submitted to and settled by the Court of Vicenza, Italy.

PBA shall in any case be entitled, at its exclusive discretion, to institute legal proceedings against the Client before the Court of the place where the Client has its registered office.

10. APPLICABLE LAW

These General Conditions of sale and any Agreement shall be governed by Italian Law.

Should the Client be a foreign entity or in any case an entity having the registered office or the main place of business abroad, the Contracts related to the supply of the Products shall in any case be regulated by the United Nations Convention on the International Sale of Goods (Vienna Convention, April 11, 1980)

11. WAIVER

Failure by PBA to enforce at any time any of the provisions of these General Conditions shall not be construed as a waiver of such provision or of the right to thereafter enforce each and every provision herein.

12. LANGUAGE

The Client executes these General Conditions in Italian and in English, it being agreed that should any conflict or inconsistency arise among the two versions, the Italian wording shall always prevail.

pba S.p.A. Via Enrico Fermi, 1 36056 Tezze sul Brenta (Vicenza) Italia Tel. +39 0424 5451 info@pba.it www.pba.it
pba Deutschland GmbH Alter Graben 47-49 D-47918 Tönisvorst Deutschland Tel. +49 2151 82006 0 info@de.pba.it www.pba.it
pba USA, Inc. 68 34th Street Suite C405 Unit 20 Industry City Brooklyn NYC NY 11232 United States Tel. +1 212 255 4605 office@pba-usa.us