





	S	ART.	◆
<p>PASSAGE</p>	8 mm	<ul style="list-style-type: none"> • HGL.LCK.0A08. xx . x • 0IT.151.0000. xx 	
	10 mm	<ul style="list-style-type: none"> • HGL.LCK.0A10. xx . x • 0IT.151.0000. xx 	
	12 mm	<ul style="list-style-type: none"> • HGL.LCK.0A12. xx . x • 0IT.151.0000. xx 	
	8 mm	<ul style="list-style-type: none"> • HGL.LCK.0Y08. xx . x • 0IT.151.0000. xx 	
	10 mm	<ul style="list-style-type: none"> • HGL.LCK.0Y10. xx . x • 0IT.151.0000. xx 	
	12 mm	<ul style="list-style-type: none"> • HGL.LCK.0Y12. xx . x • 0IT.151.0000. xx 	
<p>SECURITY</p>	8 mm	<ul style="list-style-type: none"> • HGL.LCK.3H08. xx . x • 0IT.151.0000. xx 	
	10 mm	<ul style="list-style-type: none"> • HGL.LCK.3H10. xx . x • 0IT.151.0000. xx 	
	12 mm	<ul style="list-style-type: none"> • HGL.LCK.3H12. xx . x • 0IT.151.0000. xx 	

PLACCA CON SERRATURA - PLATE WITH LOCK - PLAQUE AVEC SERRURE - TÜRSCHILD MIT SCHLIEßSYSTEM - SCHILD MET SLOT




ART.	◆	A	B	C	D	E	F	G	S
HGL.LCK.xx08 . xx . x		136 mm	103 mm	51,5 mm	14 mm	5 mm	32 mm	71 mm	8 mm
HGL.LCK.xx10 . xx . x		136 mm	103 mm	51,5 mm	14 mm	5 mm	32 mm	71 mm	10 mm
HGL.LCK.xx12 . xx . x		136 mm	103 mm	51,5 mm	14 mm	5 mm	32 mm	71 mm	12 mm

INCONTRO PER VETRO - STRIKE BOX - GÂCHE POUR VERRE - VERBINDUNG GLAS/GLAS - SLUITPLAAT VOOR GLAS



ART.	A	B	C	D	E	F	G	S
HGL.STK.0008. xx	136 mm	60 mm	43 mm	14 mm	5 mm	40 mm	68 mm	8 mm
HGL.STK.0010. xx	136 mm	60 mm	43 mm	14 mm	5 mm	40 mm	68 mm	10 mm
HGL.STK.0012. xx	136 mm	60 mm	43 mm	14 mm	5 mm	40 mm	68 mm	12 mm


INCONTRO PER PROFILO - STRIKE PLATE - GÂCHE POUR PROFIL - PROFILVERBINDUNG - SLUITPLAAT VOOR PROFIEL




ART.	A	B	C	D	S
HGL.STK.0001. xx	136 mm	20 mm	100 mm	40 mm	2 mm

FRESATURA SU VETRO PER SERRATURA
GLASS CUT TEMPLATE LOCK
GARNITURE SUR VERRE POUR SERRURE
GLASFRÄSUNG ZUR SCHLÖßAUFNAHME
UITSPARING IN GLAS VOOR SLOT

FRESATURA SU VETRO PER INCONTRO
GLASS CUT TEMPLATE STRIKE BOX
GARNITURE SUR VERRE POUR GÂCHE
GLASFRÄSUNG ZUMK VERBINDEN
UITSPARING IN GLAS VOOR SLUITPLAAT




A 108 mm B 92 mm C 89,5 mm D 104 mm




E 108 mm F 25 mm G 22,5 mm H 104 mm

PLACCA CON SERRATURA SENZA MANIGLIA - PLATE WITH LOCK WITHOUT LEVER HANDLE - PLAQUE AVEC SERRURE SANS POIGNÉE - TÜRSCHILD MIT SCHLISSSYSTEM OHNE TÜRDRÜCKER - SCHILD MET SLOT ZON DER KRUK




ART.	◆	A	B	C	D	E	F	G	S
HGL.LCK.SY10 . xx . x		136 mm	52 mm	20 mm	14 mm	4 mm	95 mm	59 mm	10 mm
HGL.LCK.SY12 . xx . x		136 mm	52 mm	20 mm	14 mm	4 mm	95 mm	59 mm	12 mm

INCONTRO PER VETRO - STRIKE BOX - GÂCHE POUR VERRE - VERBINDUNG GLAS/GLAS - SLUITPLAAT VOOR GLAS




ART.	◆	A	B	C	D	E	F	S
HGL.STK.SY10 . xx . x		136 mm	54 mm	43 mm	14 mm	5 mm	59 mm	10 mm
HGL.STK.SY12 . xx . x		136 mm	54 mm	43 mm	14 mm	5 mm	59 mm	12 mm


FRESATURA SU VETRO PER SERRATURA SENZA MANIGLIA
GLASS CUT TEMPLATE LOCK WITHOUT LEVER HANDLE
GARNITURE SUR VERRE POUR SERRURE SANS POIGNÉE
GLASFRÄSUNG ZUR SCHLOßAUFNAHME OHNE TÜRDRÜCKER
UITSPARING IN GLAS VOOR SLOT ZON DER KRUK



FRESATURA SU VETRO PER INCONTRO
GLASS CUT TEMPLATE STRIKE BOX
GARNITURE SUR VERRE POUR GÂCHE
GLASFRÄSUNG ZUM VERBINDEN
UITSPARING IN GLAS VOOR SLUITPLAAT



CILINDRO A PROFILO EUROPEO STANDARD - STANDARD EURO PROFILE CYLINDER - CYLINDRE AVEC PROFIL EUROPÉEN STANDARD - STANDARD EUROPÄISCHER PROFILZYLINDER - CYLINDER MET STANDAARD EUROPROFIEL



ART.	L	
HGL.CIL.0000.00	45 mm	Standard
HGL.CIL.000Y.00		Impianti Speciali Master keying Organigramme Master-schliessanlagen Sluitplannen

IMPIANTI SPECIALI SU RICHIESTA - MASTER KEYING ON REQUEST - ORGANIGRAMME SUR DEMANDE - AUF ANFRANGE KÖNNEN MASTER-SCHLIESSANLAGEN GEMÄSS KA-MK-GMK SYSTEMEN ANGFERTIGT WERDEN - SPECIALE SLUITPLANNEN OP AANVRAAG

ART. HGL.0KA.0000.00

3 chiavi per cil.
3 keys for each cyl.
3 clés pour chaque cylindre
3 Schlüssels für jeden Zylinder
3 sleutels per cylinder

ART. HGL.0MK.0000.00

3 chiavi per cil.
3 keys for each cyl.
3 clés pour chaque cylindre
3 Schlüssels für jeden Zylinder
3 sleutels per cylinder


ART. HGL.GMK.0000.00

3 chiavi per cil.
3 keys for each cyl.
3 clés pour chaque cylindre
3 Schlüssels für jeden Zylinder
3 sleutels per cylinder

FUNZIONE - FUNCTION - FONCTION - FUNKTION - FUNCTIE


PASSAGE

senza chiave - senza pomolo
no key - no thumb turn
sans clé - sans verrou
ohne Schlüssel - ohne Knopf
zonder sleutel - zonder deurknop




SECURITY

chiave - chiave
key - key (profile cylinder)
Clé - Clé
Schlüssel - Schlüssel
Sleutel - Sleutel




PRIVACY

pomolo - indicatore libero/occupato
thumb turn - occupancy indicator
verrou - libre/occupé
mit Knopf - mit frei/besetz Türverriegelung
met deurknop - met vergrendelingen



VERSO DI APERTURA - OPENING DIRECTION - SENS D'OUVERTURE - OFFNUNGSRICHTUNG - OPENINGSRICHTING (DIN 107)

.1 DESTRO
RIGHT
DROITE
RECHTS
RECHTS



.2 SINISTRO
LEFT
GAUCHE
LINKS
LINKS

